

LIST OF FIGURES

Figure 1.1 Global Total Energy Consumption.....	2
Figure 1. 2 Global Total Energy Consumption for each fuel type.....	2
Figure 1. 3 Global Liquid Fuel Production & Consumption	4
Figure 1. 4 Liquid Fuel Production & Consumption in India.....	4
Figure 1.5 Gasoline consumption scenario in India [Petroleum Planning and analysis cell, Ministry of petroleum and natural gas may, 2016].....	7
Figure 1.6 Journey of Emission Standards in India	10
Figure 3. 1 Flow scheme of hydrothermal synthesis	62
Figure 3. 2 Autoclave Teflon and steel part.....	62
Figure 3.3 Hydrothermal synthesis processes.....	63
Figure 3.4 Zirconia in precipitate form.....	63
Figure 3.5 Zirconia after filtration	64
Figure 3.6 Zirconia powder after calcination.....	64
Figure 3.7 Zirconia in extrude form.....	65
Figure 3.8 Sulphated Zirconia after impregnation of TPA.....	65
Figure 3.9 Flow scheme of microwave synthesis	68
Figure 3.10 Microwave Oven used for Zirconia Synthesis	68
Figure 3.11 Flow scheme of Precipitation	70
Figure 3.12 Precipitation method with hot	70
Figure 3.13 Zirconia cake after filtration.....	71
Figure 3.14 Zirconia Powder after calcination	71
Figure 3. 15 Flow scheme of Sol-gel Synthesis.....	73
Figure 3.16 Gel formation.....	73
Figure 3.17 Zirconia powder after calcination.....	74
Figure 4.1 SEM Image of ZT with different magnification.....	80
Figure 4.2 SEM Image of ZM with different magnification	81
Figure 4.3 SEM Image ZP with different magnification	82
Figure 4.4 SEM Image of ZG with different magnification	83

Figure 4.5 SEM Image of SZPW with different magnification.....	84
Figure 4.6 XRD Pattern of ZT; ZM	87
Figure 4.7 XRD Pattern of ZP; ZG.....	87
Figure 4. 8 XRD Pattern of ZD; SZT; SZTW	88
Figure 4.9 XRD Instrument	88
Figure 4.10 FT-IR Pattern of ZT; ZM	90
Figure 4.11 FT-IR Pattern of ZP; ZG	91
Figure 4.12 Pattern of samples ZT; SZT; SZTW	91
Figure 4.13 FT-IR Instrument.....	92
Figure 4. 14 BET Isotherm of Samples ZT; ZM; ZP; ZG	96
Figure 4. 15 Pore size distribution	96
Figure 4. 16 BET Isotherm of Samples ZT; SZT; SZTW	97
Figure 4. 17 Pore size distribution of samples ZT; SZT; SZTW.....	97
Figure 4. 18 Surface area and Porosity Analyzer	98
Figure 4. 19 TPD Profile of samples ZT; ZT; ZP; ZG	100
Figure 4. 20 TPD Profile of samples ZT; SZT; SZTW	101
Figure 4. 21 TPR profile of samples.....	103
Figure 4. 22 TPD/TPR instrument	104
Figure 4. 23 TGA Curves of Samples ZT; SZP; SZTW.....	106
Figure 4. 24 TGA Curves of TPA.....	106
Figure 5. 1 Flow scheme of fixed bed reactor	116
Figure 5. 2 Cross section for the catalyst bed	117
Figure 5. 3 Fixed bed reactor used for isomerization	118
Figure 5. 4 Reaction time Vs Conversion; (a) 150°C (b) 175°C (c) 200°C (d) 225°C (e) 250°C.....	123
Figure 5. 5 Reaction time Vs Conversion; (a) 150°C (b) 175°C (c) 200°C (d) 225°C (e) 250°C.....	123
Figure 5. 6 Reaction time Vs Conversion; (a) 150°C (b) 175°C (c) 200°C (d) 225°C (e) 250°C.....	124

Figure 5. 7 Effect of temperature on the activity of SZTW10 (a) WHSV= 1 (b) WHSV= 1.50 (c) WHSV=1.25	124
Figure 5. 8 Reaction time vs Conversion; (a) 150°C (b) 175°C (c) 200°C (d) 225°C (e) 250°C.....	127
Figure 5. 9 Reaction time Vs Conversion; (a) 150°C (b) 175°C (c) 200°C (d) 225°C (e) 250°C.....	127
Figure 5. 10 Reaction time Vs Conversion; (a) 150°C (b) 175°C (c) 200°C (d) 225°C (e) 250°C.....	128
Figure 5. 11 Effect of temperature on activity of SZTW20, (a) WHSV= 1 (b) WHSV= 1.50 (c) WHSV=1.25	128
Figure 5. 12 Reaction time Vs Conversion, comparison for all prepared (SZTW30-60) catalysts.....	131
Figure 5. 13 Gas chromatogram of SZTW55	132
Figure 5. 14 DHA profile SZTW55.....	133
Figure 5. 15 TPA loading Vs Conversion for SZTW10-60.....	133
Figure 5. 16 Reaction time Vs Conversion SZMW55	135
Figure 5. 17 DHA profile of SZMW55	135
Figure 5. 18 Reaction time Vs conversion for SZPW55	136
Figure 5. 19 DHA profile of SZPW55.....	137
Figure 5. 20 Reaction time Vs Conversion for SZGW55.....	138
Figure 5. 21 Various Color of TPA	138
Figure 5. 22 DHA profile SZGW55	139
Figure 5. 23 Conversion vs Catalyst Type.....	140