



CHAPTER 7

CHAPTER 7

REFERENCES

- Acton, C. E., Priestley, K., Mitra, S., & Gaur, V. K. (2011). Crustal structure of the Darjeeling-Sikkim Himalaya and southern Tibet. *Geophysical Journal International*, 184(2), 829-852.
- Aki, K., & Richards, P. G. (1980). *Quantitative seismology: Theory and methods*. Freeman & Co., New York, 801.
- Ambraseys, N., & Bilham, R. (2000). A note on the Kangra M~ s= 7.8 earthquake of 4 April 1905. *Current Science*, 79(1), 45-50.
- Ammon, C. J., Randall, G. E., & Zandt, G. (1990). On the nonuniqueness of receiver function inversions. *Journal of Geophysical Research: Solid Earth*, 95(B10), 15303-15318.
- Ammon, C. J. (1991). The isolation of receiver effects from teleseismic P waveforms. *Bulletin of the Seismological Society of America*, 81(6), 2504-2510.
- Anderson, J. A., & Wood, H. O. (1925). Description and theory of the torsion seismometer. *Bulletin of the Seismological Society of America*, 15(1), 1-72.
- Angus, D. A., Wilson, D. C., Sandvol, E., & Ni, J. F. (2006). Lithospheric structure of the Arabian and Eurasian collision zone in eastern Turkey from S-wave receiver functions. *Geophysical Journal International*, 166(3), 1335-1346.
- Araragi, K. R., Savage, M. K., Ohminato, T., & Aoki, Y. (2015). Seismic anisotropy of the upper crust around Mount Fuji, Japan. *Journal of Geophysical Research: Solid Earth*, 120(4), 2739-2751.
- Arora, B. R., Unsworth, M. J., & Rawat, G. (2007). Deep resistivity structure of the northwest Indian Himalaya and its tectonic implications.

- Geophysical Research Letters*, 34, L04307, doi: 10.1029/2006GL029165.
- Arora, B. R., Gahalaut, V. K., & Kumar, N. (2012). Structural control on along-strike variation in the seismicity of the northwest Himalaya. *Journal of Asian Earth Sciences*, 57, 15-24.
- Atkinson, B. K. (1979). A fracture mechanics study of subcritical tensile cracking of quartz in wet environments. *Pure and Applied Geophysics*, 117(5), 1011-1024.
- Atkinson, B. K. (1984). Subcritical crack growth in geological materials. *Journal of Geophysical Research: Solid Earth*, 89(B6), 4077-4114.
- Avouac, J. P., Meyer, B., & Tapponnier, P. (1992). On the growth of normal faults and the existence of flats and ramps along the El Asnam active fold and thrust system. *Tectonics*, 11(1), 1-11.
- Avouac, J. P., Tapponnier, P., Bai, M., You, H., & Wang, G. (1993). Active thrusting and folding along the northern Tien Shan and late Cenozoic rotation of the Tarim relative to Dzungaria and Kazakhstan. *Journal of Geophysical Research: Solid Earth*, 98(B4), 6755-6804.
- Babuska, V., & Cara, M. (1991). *Seismic anisotropy in the Earth*. Springer Science & Business Media, Berlin, Germany.
- Balakrishna, S., Rao, M. V. M. S., & Ramana, Y. V. (1976). Integrated studies on elastic properties of ultramafic rocks. *Tectonophysics*, 35(1), 229-250.
- Banerjee, P., & Bürgmann, R. (2002). Convergence across the northwest Himalaya from GPS measurements. *Geophysical Research Letters*, 29(13), 1652, doi: 10.1029/2002GL015184.
- Barruol, G., & Mainprice, D. (1993). A quantitative evaluation of the contribution of crustal rocks to the shear-wave splitting of teleseismic SKS waves. *Physics of the Earth and Planetary Interiors*, 78(3-4), 281-300.
- Benioff, H., & Press, F. (1958). Progress report on long period seismographs. *Geophysical Journal International*, 1(3), 208-215.
- Berlage Jr, H. P. (1932). *Seismometer, Handbuch der Geophysik*, Gebrueder Borntraeger Verlag, Berlin, 4, 229 - 526.

- Bilham, R., Bodin, P., & Jackson, M. (1995). Entertaining a great earthquake in western Nepal: historic inactivity and geodetic tests for the present state of strain. *Journal of Nepal Geological Society*, 11(1), 73-78.
- Bilham, R., Larson, K., & Freymueller, J. (1997). GPS measurements of present-day convergence across the Nepal Himalaya. *Nature*, 386(6620), 61.
- Bilham, R., Blume, F., Bendick, R., & Gaur, V. K. (1998). Geodetic constraints on the translation and deformation of India: Implications for future great Himalayan earthquakes. *Current Science*, 74(3), 213-229.
- Birch, F. (1960). The velocity of compressional waves in rocks to 10 kilobars: 1. *Journal of Geophysical Research*, 65(4), 1083-1102.
- Birch, F. (1961). The velocity of compressional waves in rocks to 10 kilobars: 2. *Journal of Geophysical Research*, 66(7), 2199-2224.
- Bones, N. L., & Zoback, M. D. (2006). Mapping stress and structurally controlled crustal shear velocity anisotropy in California. *Geology*, 34(10), 825-828.
- Borah, K., Kanna, N., Rai, S. S., & Prakasam, K. S. (2015). Sediment thickness beneath the Indo-Gangetic Plain and Siwalik Himalaya inferred from receiver function modelling. *Journal of Asian Earth Sciences*, 99, 41-56.
- Bostock, M. G. (1998). Mantle stratigraphy and evolution of the Slave province. *Journal of Geophysical Research: Solid Earth*, 103(B9), 21183-21200.
- Bostock, M. G., & Rondenay, S. (1999). Migration of scattered teleseismic body waves. *Geophysical Journal International*, 137(3), 732-746.
- Bowman, J. R., & Ando, M. (1987). Shear-wave splitting in the upper-mantle wedge above the Tonga subduction zone. *Geophysical Journal International*, 88(1), 25-41.
- Brodov, L. Y., Evtifeyev, V. I., Karus, E. V., & Kulichikhina, T. N. (1984). Some results of the experimental study of seismic anisotropy of

- sedimentary rocks using different types of waves. *Geophysical Journal International*, 76(1), 191-200.
- Brookfield, M. E. (1993). The Himalayan passive margin from Precambrian to Cretaceous times. *Sedimentary Geology*, 84(1-4), 1-35.
- Brown, L. D., Zhao, W., Nelson, K. D., Hauck, M., Alsdorf, D., Ross, A., Cogan, M., Clark, M., Liu, X. & Che, J. (1996). Bright Spots, Structure, and Magmatism in Southern Tibet from INDEPTH Seismic Reflection Profiling. *Science*, 274(5293), 1688-1690.
- Burchfiel, B. C., Zhiliang, C., Hodges, K. V., Yuping, L., Royden, L. H., Changrong, D., & Jiene, X. (1992). The South Tibetan detachment system, Himalayan orogen: Extension contemporaneous with and parallel to shortening in a collisional mountain belt. *Geological Society of America Special Papers*, 269, 1-41.
- Burdick, L. J., & Langston, C. A. (1977). Modeling crustal structure through the use of converted phases in teleseismic body-wave forms. *Bulletin of the Seismological Society of America*, 67(3), 677-691.
- Burg, J. P., Brunel, M., Gapais, D., Chen, G. M., & Liu, G. H. (1984). Deformation of leucogranites of the crystalline Main Central Sheet in southern Tibet (China). *Journal of Structural Geology*, 6(5), 535-542.
- Caddick, M. J., Bickle, M. J., Harris, N. B. W., Holland, T. J. B., Horstwood, M. S. A., Parrish, R. R., & Ahmad, T. (2007). Burial and exhumation history of a Lesser Himalayan schist: Recording the formation of an inverted metamorphic sequence in NW India. *Earth and Planetary Science Letters*, 264(3), 375-390.
- Cai, Y., Wu, J., Fang, L., Wang, W., & Yi, S. (2016). Crustal anisotropy and deformation of the southeastern margin of the Tibetan Plateau revealed by PmS splitting. *Journal of Asian Earth Sciences*, 121, 120-126.
- Caldwell, W. B., Klemperer, S. L., Lawrence, J. F., & Rai, S. S. (2013). Characterizing the Main Himalayan Thrust in the Garhwal Himalaya, India with receiver function CCP stacking. *Earth and Planetary Science Letters*, 367, 15-27.

- Caldwell, W. B., Klemperer, S. L., Rai, S. S., & Lawrence, J. F. (2009). Partial melt in the upper-middle crust of the northwest Himalaya revealed by Rayleigh wave dispersion. *Tectonophysics*, 477(1), 58-65.
- Cassidy, J. F. (1992). Numerical experiments in broadband receiver function analysis. *Bulletin of the Seismological Society of America*, 82(3), 1453-1474.
- Cattin, R., Martelet, G., Henry, P., Avouac, J. P., Diament, M., & Shakya, T. R. (2001). Gravity anomalies, crustal structure and thermo-mechanical support of the Himalaya of Central Nepal. *Geophysical Journal International*, 147(2), 381-392.
- Chamoli, A., Pandey, A. K., Dimri, V. P., & Banerjee, P. (2011). Crustal configuration of the northwest Himalaya based on modeling of gravity data. *Pure and Applied Geophysics*, 168(5), 827-844.
- Chen, Y., Zhang, Z., Sun, C., & Badal, J. (2013). Crustal anisotropy from Moho converted Ps wave splitting analysis and geodynamic implications beneath the eastern margin of Tibet and surrounding regions. *Gondwana Research*, 24(3), 946-957.
- Chevrot, S., Vinnik, L., & Montagner, J. P. (1999). Global-scale analysis of the mantle Pds phases. *Journal of Geophysical Research: Solid Earth*, 104(B9), 20203-20219.
- Christensen, N. I., & Mooney, W. D. (1995). Seismic velocity structure and composition of the continental crust: A global view. *Journal of Geophysical Research: Solid Earth*, 100(B6), 9761-9788.
- Christensen, N. I. (1996). Poisson's ratio and Crustal seismology. *Journal of Geophysical Research*, 101, 3139-3156.
- Christensen, N. I., & Fountain, D. M. (1975). Constitution of the lower continental crust based on experimental studies of seismic velocities in granulite. *Geological Society of America Bulletin*, 86(2), 227-236.
- Clayton, R. W., & Wiggins, R. A. (1976). Source shape estimation and deconvolution of teleseismic bodywaves. *Geophysical Journal International*, 47(1), 151-177.

- Crampin, S. (1978). Seismic-wave propagation through a cracked solid: polarization as a possible dilatancy diagnostic. *Geophysical Journal International*, 53(3), 467-496.
- Crampin, S. (1981). A review of wave motion in anisotropic and cracked elastic-media. *Wave motion*, 3(4), 343-391.
- Crampin, S., Evans, R., & Atkinson, B. K. (1984). Earthquake prediction: a new physical basis. *Geophysical Journal International*, 76(1), 147-156.
- Crampin, S. (1984). An introduction to wave propagation in anisotropic media. *Geophysical Journal International*, 76(1), 17-28.
- Crampin, S., & Lovell, J. H. (1991). A decade of shear-wave splitting in the Earth's crust: what does it mean? what use can we make of it? and what should we do next?. *Geophysical Journal International*, 107(3), 387-407.
- Crampin, S., & Peacock, S. (2008). A review of the current understanding of seismic shear-wave splitting in the Earth's crust and common fallacies in interpretation. *Wave Motion*, 45(6), 675-722.
- de Quervain, A. & Piccard, A., (1924). Beschreibung des 21-Tonnen-Universal-Seismographen System de Quervain-Piccard. Jahresber, Switzerland. Seismological Service.
- de Quervain, A. & Piccard, A., (1927). Description du séismographe universel de 21 tonnes système de Quervain-Piccard. *Publ. Bureau Centr. Séism. Int. Sér. A*, 4, 32.
- Dewey, J., & Byerly, P. (1969). The early history of seismometry (to 1900). *Bulletin of the Seismological Society of America*, 59(1), 183-227.
- Dewey, J. F., & Bird, J. M. (1970). Mountain belts and the new global tectonics. *Journal of Geophysical Research*, 75(14), 2625-2647.
- Dubey, A. K. (2014). *Understanding an orogenic belt*. Springer, Heidelberg, New York, Dordrecht, London. pp 390.
- Dubey, A. K., & Bhat, M. I. (1991). Structural evolution of the Simla area, NW Himalayas: implications for crustal thickening. *Journal of Southeast Asian Earth sciences*, 6(1), 41-53.

- Dueker, K. G., & Sheehan, A. F. (1997). Mantle discontinuity structure from midpoint stacks of converted P to S waves across the Yellowstone hotspot track. *Journal of Geophysical Research: Solid Earth*, 102(B4), 8313-8327.
- Dueker, K. G., & Sheehan, A. F. (1998). Mantle discontinuity structure beneath the Colorado rocky mountains and high plains. *Journal of Geophysical Research: Solid Earth*, 103(B4), 7153-7169.
- Duncan, C., Masek, J., & Fielding, E. (2003). How steep are the Himalaya? Characteristics and implications of along-strike topographic variations. *Geology*, 31(1), 75-78.
- Duputel, Z., Vergne, J., Rivera, L., Wittlinger, G., Farra, V., & Hetényi, G. (2016). The 2015 Gorkha earthquake: A large event illuminating the Main Himalayan thrust fault. *Geophysical Research Letters*, 43(6), 2517-2525.
- Epard, J. L., & Steck, A. (2008). Structural development of the Tso Morari ultra-high pressure nappe of the Ladakh Himalaya. *Tectonophysics*, 451(1), 242-264.
- Ewing, J. A. (1884). Measuring earthquakes. *Nature*, 30, 149-152.
- Farías, M., Comte, D., Charrier, R., Martinod, J., David, C., Tassara, A., & Fock, A. (2010). Crustal-scale structural architecture in central Chile based on seismicity and surface geology: Implications for Andean mountain building. *Tectonics*, 29(3), TC3006, doi:10.1029/2009TC002480.
- Flesch, L. M., Holt, W. E., Silver, P. G., Stephenson, M., Wang, C. Y., & Chan, W. W. (2005). Constraining the extent of crust–mantle coupling in central Asia using GPS, geologic, and shear wave splitting data. *Earth and Planetary Science Letters*, 238(1), 248-268.
- Fountain, D., Arculus, R., & Kay, R. W. (1992). *Continental lower crust* (Vol. 23), Elsevier Science Limited.
- Frank, W., Thoni, M., & Purtscheller, F. (1977). Geology and petrography of Kulu-South Lahul area. *Colloques internationaux du CNRS*, 268, 147-160.

- Frank, W., Grasemann, B., Guntli, P., & Miller, C. (1995). Geological map of the Kishtwar-Chamba-Kulu region (NW Himalayas, India). *Jahrbuch der Geologischen Bundesanstalt*, 138(2), 299-308.
- Gaetani, M., & Garzanti, E. (1991). Multicyclic history of the Northern India continental margin (Northwestern Himalaya). *American Association of Petroleum Geologists Bulletin*, 75(9), 1427-1446.
- Gahalaut V. K., and Kalpna (2001), Himalayan mid-crustal ramp, *Current Science*, 81(12), 1641-1646.
- Gahalaut, V. K., & Kundu, B. (2012). Possible influence of subducting ridges on the Himalayan arc and on the ruptures of great and major Himalayan earthquakes. *Gondwana Research*, 21(4), 1080-1088.
- Galitzin, B. B. (1914). *Fürst B. Galitzin Vorlesungen über Seismometrie*. BG Teubner and Leipzig, Berlin.
- Gansser, A. (1964). *Geology of the Himalayas*. New York: Interscience. Vol. 289, 406 pp.
- Gao, R., Lu, Z., Klemperer, S. L., Wang, H., Dong, S., Li, W., & Li, H. (2016). Crustal-scale duplexing beneath the Yarlung Zangbo suture in the western Himalaya. *Nature Geoscience*, 9(7), 555-560.
- Garzanti, E. (1993). Sedimentary evolution and drowning of a passive margin shelf (Giumal Group; Zanskar Tethys Himalaya, India): palaeoenvironmental changes during final break-up of Gondwanaland. *Geological Society, London, Special Publications*, 74(1), 277-298.
- Garzanti, E. (1999). Stratigraphy and sedimentary history of the Nepal Tethys Himalaya passive margin. *Journal of Asian Earth Sciences*, 17(5), 805-827.
- Gashawbeza, E. M., Klemperer, S. L., Wilson, C. K., & Miller, E. L. (2008). Nature of the crust beneath northwest Basin and Range province from teleseismic receiver function data. *Journal of Geophysical Research: Solid Earth*, 113(B10), B10308.
- Gephart, J. W., & Forsyth, D. W. (1984). An improved method for determining the regional stress tensor using earthquake focal mechanism data: application to the San Fernando earthquake sequence. *Journal of Geophysical Research: Solid Earth*, 89(B11), 9305-9320.

- Gilbert, H. J., & Sheehan, A. F. (2004). Images of crustal variations in the intermountain west. *Journal of Geophysical Research: Solid Earth*, 109, B03306, doi: 10.1029/2003JB002730.
- Godin, L., & Harris, L. B. (2014). Tracking basement cross-strike discontinuities in the Indian crust beneath the Himalayan orogen using gravity data—relationship to upper crustal faults. *Geophysical Journal International*, 198(1), 198-215.
- Gogte, B. S., & Ramana, Y. V. (1982). Petrological characteristics and elastic properties of granitoids from major tectonic zones of northwestern Himalaya. *Himalayan Geology*, 12, 132-155.
- Gokarn, S. G., Rao, C. K., & Gupta, G. (2002). Crustal structure in the Siwalik Himalayas using magnetotelluric studies. *Earth, Planets and Space*, 54(1), 19-30.
- Goldstein, P., Dodge, D., Firpo, M., & Minner, L. (2003). SAC2000: Signal processing and analysis tools for seismologists and engineers. *The IASPEI International Handbook of Earthquake and Engineering Seismology*, 81, 1613-1620.
- Guo, Z., Chen, Y. J., Ning, J., Yang, Y., Afonso, J. C., & Tang, Y. (2016). Seismic evidence of on-going sublithosphere upper mantle convection for intra-plate volcanism in Northeast China. *Earth and Planetary Science Letters*, 433, 31-43.
- Gupta, V. (2009). Non-destructive testing of some Higher Himalayan Rocks in the Satluj Valley. *Bulletin of Engineering Geology and the Environment*, 68(3), 409-416.
- Gupta, V., & Sharma, R. (2012). Relationship between textural, petrophysical and mechanical properties of quartzites: a case study from northwestern Himalaya. *Engineering Geology*, 135, 1-9.
- Gurrola, H., & Minster, J. B. (1998). Thickness estimates of the upper-mantle transition zone from bootstrapped velocity spectrum stacks of receiver functions. *Geophysical Journal International*, 133(1), 31-43.
- Hammersley, J. M., & Handscomb, D. C. (1964). Percolation processes. In *Monte Carlo Methods*. Springer Netherlands. pp. 134-141

- Hao, P., Gao, Y., & Crampin, S. (2008). An Expert System for measuring shear-wave splitting above small earthquakes. *Computers & Geosciences*, 34(3), 226-234.
- Hauck, M. L., Nelson, K. D., Brown, L. D., Zhao, W., & Ross, A. R. (1998). Crustal structure of the Himalayan orogen at ~90 east longitude from Project INDEPTH deep reflection profiles. *Tectonics*, 17(4), 481-500.
- Hayden, H.H. (1904). The geology of Spiti with parts of Bushahr and Rupshu. *Memoir Geological Survey of India*, 6, 1-121.
- Hayes, G. P., Briggs, R. W., Barnhart, W. D., Yeck, W. L., McNamara, D. E., Wald, D. J., ... & Marano, K. (2015). Rapid characterization of the 2015 Mw 7.8 Gorkha,Nepal, earthquake sequence and its seismotectonic context. *Seismological Research Letters*, 86(6), 1557-1567.
- Hazarika, D., Arora, B. R., & Bora, C. (2012). Crustal structure and deformation in the northeast India-Asia collision zone: constraints from receiver function analysis. *Geophysical Journal International*, 188(3), 737-749.
- Hazarika, D., Kumar, N., & Yadav, D. K. (2013). Crustal thickness and Poisson's ratio variations across the northwest Himalaya and eastern Ladakh. *Acta Geophysica*, 61(4), 905-922.
- Hazarika, D., Yadav, D. K., Sriram, V., & Rai, A. (2013). Upper mantle anisotropy beneath northeast India-Asia collision zone from shear-wave splitting analysis. *International Journal of Earth Sciences*, 102(7), 2061-2076.
- Hazarika, D., Sen, K., & Kumar, N. (2014). Characterizing the intracrustal low velocity zone beneath northwest India-Asia collision zone. *Geophysical Journal International*, 199(3), 1338-1353.
- Hazarika, D., Wadhawan, M., Paul, A., Kumar, N., & Borah, K. (2017). Geometry of the Main Himalayan Thrust and Moho beneath Satluj valley, northwest Himalaya: Constraints from receiver function analysis. *Journal of Geophysical Research: Solid Earth*, 122(4), 2929-2945.

- Heintz, M., Kumar, V. P., Gaur, V. K., Priestley, K., Rai, S. S., & Prakasam, K. S. (2009). Anisotropy of the Indian continental lithospheric mantle. *Geophysical Journal International*, 179(3), 1341-1360.
- Helffrich, G. (2006). Extended-time multitaper frequency domain cross-correlation receiver-function estimation. *Bulletin of the Seismological Society of America*, 96(1), 344-347.
- Herquel, G., & Tapponnier, P. (2005). Seismic anisotropy in western Tibet. *Geophysical Research Letters*, 32(17), L17036,
- Hetényi, G., Cattin, R., Berthet, T., Le Moigne, N., Chophel, J., Lechmann, S., Hammer, P., Drukpa, D., Sapkota, S.N., Gautier, S. & Thinley, K. (2016). Segmentation of the Himalayas as revealed by arc-parallel gravity anomalies. *Scientific Reports*, 6, 33866, DOI: 10.1038/srep33866
- Hetényi, G., Cattin, R., Vergne, J., & Nábělek, J. L. (2006). The effective elastic thickness of the India Plate from receiver function imaging, gravity anomalies and thermomechanical modelling. *Geophysical Journal International*, 167(3), 1106-1118.
- Hirn, A., Jiang, M., Sapin, M., Diaz, J., Nercessian, A., Lu, Q. T., Lepine, J.C., Shi, D. N., Sachpazi, M., Pandey, M.R., Ma, K. & Gallart, J. (1995). Seismic anisotropy as an indicator of mantle flow beneath the Himalayas and Tibet. *Nature*, 375(6532), 571-574.
- Holland, J. H. (1975). Adaptation in natural and artificial systems. An introductory analysis with application to biology, control, and artificial intelligence. *Ann Arbor, MI: University of Michigan Press*.
- Huang, W. C., Ni, J. F., Tilman, F., Nelson, D., Guo, J., Zhao, W., Mechie, J., Kind, R., Saul, J., Rapine, R., & Hearn, T. M. (2000). Seismic polarization anisotropy beneath the central Tibetan Plateau. *Journal of Geophysical Research: Solid Earth*, 105(B12), 27979-27989.
- Hudson, J. A. (1981). Wave speeds and attenuation of elastic waves in material containing cracks. *Geophysical Journal International*, 64(1), 133-150.

- Hyndman, R. D., & Shearer, P. M. (1989). Water in the lower continental crust: modelling magnetotelluric and seismic reflection results. *Geophysical Journal International*, 98(2), 343-365.
- Israel, M., Tyagi, D. K., Gupta, P. K., & Niwas, S. (2008). Magnetotelluric investigations for imaging electrical structure of Garhwal Himalayan corridor, Uttarakhand, India. *Journal of Earth System Science*, 117(3), 189-200.
- Iwan, W. D., Moser, M. A., & Peng, C. Y. (1985). Some observations on strong-motion earthquake measurement using a digital accelerograph. *Bulletin of the Seismological Society of America*, 75(5), 1225-1246.
- Jade, S., Bhatt, B.C., Yang, Z., Bendick, R., Gaur, V.K., Molnar, P., Anand, M.B. & Kumar, D.,(2004). GPS measurements from the Ladakh Himalaya, India: Preliminary tests of plate-like or continuous deformation in Tibet. *Geological Society of America Bulletin*, 116(11-12), 1385-1391.
- Jade, S., Mukul, M., Bhattacharyya, A.K., Vijayan, M.S.M., Jaganathan, S., Kumar, A., Tiwari, R.P., Kumar, A., Kalita, S., Sahu, S.C. & Krishna, A.P., Estimates of interseismic deformation in Northeast India from GPS measurements. *Earth and Planetary Science Letters*, 263(3), 221-234.
- Jade, S., Rao, H.R., Vijayan, M.S.M., Gaur, V.K., Bhatt, B.C., Kumar, K., Jaganathan, S., Ananda, M.B. & Kumar, P.D., (2011). GPS-derived deformation rates in northwestern Himalaya and Ladakh. *International Journal of Earth Sciences*, 100(6), 1293-1301.
- Jain A. K., Singh S., Manickavasagam R. M., Joshi M. & Verma P. K. (2003). HIMPROBE Programme: Integrated studies on geology, petrology, geochronology and geophysics of the Trans-Himalaya and Karakoram. *Memoir Geological Society of India*, 53, 1-56.
- Ji, S., Shao, T., Michibayashi, K., Long, C., Wang, Q., Kondo, Y., Zhao, W., Wang, H. & Salisbury, M.H., (2013). A new calibration of seismic velocities, anisotropy, fabrics, and elastic moduli of amphibole-rich rocks. *Journal of Geophysical Research: Solid Earth*, 118(9), 4699-4728.

- Ji, S., Wang, Q., Marcotte, D., Salisbury, M. H., & Xu, Z. (2007). P wave velocities, anisotropy and hysteresis in ultrahigh-pressure metamorphic rocks as a function of confining pressure. *Journal of Geophysical Research: Solid Earth*, 112(B9), doi: 10.1029/2006JB00486.
- Johnston, J. E., & Christensen, N. I. (1995). Seismic anisotropy of shales. *Journal of Geophysical Research: Solid Earth*, 100(B4), 5991-6003.
- Jones, A. G. (1992). Electrical conductivity of the continental lower crust. *Continental lower crust*, in Developments in Geotectonics, Elsevier, Amsterdam, 23, 81 -143 pp.
- Jordan, T. A., & Watts, A. B. (2005). Gravity anomalies, flexure and the elastic thickness structure of the India–Eurasia collisional system. *Earth and Planetary Science Letters*, 236(3), 732-750.
- Kaneshima, S. (1991). Shear-wave splitting induced by seismic anisotropy in the earth. *Journal of Seismological Society of Japan*, 44, 71-83.
- Karunakaran, C. & Ranga Rao, A. (1979). Status of exploration for hydrocarbons in the Himalayan region-contribution to stratigraphy and structure. *Geological Survey of India: Miscellaneous Publications*, Calcutta, India, 41, 1-66.
- Kayal, J. R. (2001). Microearthquake activity in some parts of the Himalaya and the tectonic model, *Tectonophysics*, 339(3), 331-351.
- Kennett, B. L. (1983) Seismic Wave Propagation in Stratified Media, *Cambridge University Press*, London, 1 –352 pp.
- Kennett, B. L. N., & Engdahl, E. R. (1991). Traveltimes for global earthquake location and phase identification. *Geophysical Journal International*, 105(2), 429-465.
- Kern, H. (1978). The effect of high temperature and high confining pressure on compressional wave velocities in quartz-bearing and quartz-free igneous and metamorphic rocks. *Tectonophysics*, 44(1), 185-203.
- Kern, H., Popp, T., Gorbatsevich, F., Zharikov, A., Lobanov, K. V., & Smirnov, Y. P. (2001). Pressure and temperature dependence of VP and VS in rocks from the superdeep well and from surface analogues at Kola and the nature of velocity anisotropy. *Tectonophysics*, 338(2), 113-134.

- Khattri, K., Rai, K., Jain, A. K., Sinvhal, H., Gaur, V. K., & Mithal, R. S. (1978). The Kinnaur earthquake, Himachal Pradesh, India, of 19 January, 1975. *Tectonophysics*, 49(1-2), 1-21.
- Kikuchi, M., & Kanamori, H. (1982). Inversion of complex body waves. *Bulletin of the Seismological Society of America*, 72(2), 491-506.
- Kind, R., & Vinnik, L. P. (1988). The upper mantle discontinuities underneath the GRF array from P-to-S converted phases. *Journal of Geophysics*, 62(13), 147.
- Kind, R., Yuan, X., Saul, J., Nelson, D., Sobolev, S.V., Mechier, J., Zhao, W., Kosarev, G., Ni, J., Achauer, U. & Jiang, M. (2002). Seismic images of crust and upper mantle beneath Tibet: evidence for Eurasian plate subduction. *Science*, 298(5596), 1219-1221
- Kirkpatrick, S., Gelatt, C. D., & Vecchi, M. P. (1983). Optimization by simulated annealing. *Science*, 220(4598), 671-680.
- Klemperer, S. L. (2006). Crustal flow in Tibet: geophysical evidence for the physical state of Tibetan lithosphere, and inferred patterns of active flow. *Geological Society, London, Special Publications*, 268(1), 39-70.
- Kosarev, G., Kind, R., Sobolev, S. V., Yuan, X., Hanka, W., & Oreshin, S. (1999). Seismic evidence for a detached Indian lithospheric mantle beneath Tibet. *Science*, 283(5406), 1306-1309.
- Kumar, M. R., & Singh, A. (2008). Evidence for plate motion related strain in the Indian shield from shear wave splitting measurements. *Journal of Geophysical Research*, 113, B08306, doi: 10.1029/2007JB00512.
- Kumar, P., Yuan, X., Kind, R., & Ni, J. (2006). Imaging the colliding Indian and Asian lithospheric plates beneath Tibet. *Journal of Geophysical Research: Solid Earth*, 111, B0630, doi: 10.1029/2005JB003930.
- Kundu, B., Yadav, R. K., Bali, B. S., Chowdhury, S., & Gahalaut, V. K. (2014). Oblique convergence and slip partitioning in the NW Himalaya: implications from GPS measurements. *Tectonics*, 33(10), 2013-2024.
- LaCoste Jr, L. J. (1934). A new type long period vertical seismograph. *Physics*, 5(7), 178-180.
- Landau, L. D., & Lifshitz, E. M. (1964). Statistical Physics. *Nauka, Moscow*.

- Langston, C. A. (1979). Structure under Mount Rainier, Washington, inferred from teleseismic body waves. *Journal of Geophysical Research: Solid Earth*, 84(B9), 4749-4762.
- Larson, K. M., Bürgmann, R., Bilham, R., & Freymueller, J. T. (1999). Kinematics of the India-Eurasia collision zone from GPS measurements. *Journal of Geophysical Research: Solid Earth*, 104(B1), 1077-1093..
- Lavé, J., & Avouac, J. P. (2001). Fluvial incision and tectonic uplift across the Himalayas of central Nepal. *Journal of Geophysical Research: Solid Earth*, 106(B11), 26561-26591.
- Law, R. D., Searle, M. P., & Simpson, R. L. (2004). Strain, deformation temperatures and vorticity of flow at the top of the Greater Himalayan Slab, Everest Massif, Tibet. *Journal of the Geological Society*, 161(2), 305-320.
- Lay, T., & Wallace, T. C. (1995). *Modern Global Seismology* (Vol. 58). Academic press, San Diego, California.
- Lemonnier, C., Marquis, G., Perrier, F., Avouac, J.P., Chitrakar, G., Kafle, B., Sapkota, S., Gautam, U., Tiwari, D. & Bano, M.,(1999). Electrical structure of the Himalaya of Central Nepal: high conductivity around the mid-crustal ramp along the MHT. *Geophysical Research Letters*, 26(21), 3261-3264.
- Lev, E., Long, M. D., & van der Hilst, R. D. (2006). Seismic anisotropy in Eastern Tibet from shear wave splitting reveals changes in lithospheric deformation. *Earth and Planetary Science Letters*, 251(3), 293-304.
- Levin, V., & Park, J. (1997). P-SH conversions in a flat-layered medium with anisotropy of arbitrary orientation. *Geophysical Journal International*, 131(2), 253-266.
- Levin, V., & Park, J. (2000). Shear zones in the Proterozoic lithosphere of the Arabian Shield and the nature of the Hales discontinuity. *Tectonophysics*, 323(3), 131-148.
- Levin, V., Menke, W., & Park, J. (1999). Shear wave splitting in the Appalachians and the Urals: a case for multilayered anisotropy. *Journal of Geophysical Research: Solid Earth*, 104(B8), 17975-17993.

- Ligorría, J. P., & Ammon, C. J. (1999). Iterative deconvolution and receiver-function estimation. *Bulletin of the Seismological Society of America*, 89(5), 1395-1400.
- Litvinovsky, B. A., Steele, I. M., & Wickham, S. M. (2000). Silicic magma formation in overthickened crust: melting of charnockite and leucogranite at 15, 20 and 25 kbar. *Journal of Petrology*, 41(5), 717-737.
- Lodge, A., & Helffrich, G. (2006). Depleted swell root beneath the Cape Verde Islands. *Geology*, 34(6), 449-452.
- Lyon-Caen, H., & Molnar, P. (1983). Constraints on the structure of the Himalaya from an analysis of gravity anomalies and a flexural model of the lithosphere. *Journal of Geophysical Research: Solid Earth*, 88(B10), 8171-8191.
- Lyon-Caen, H., & Molnar, P. (1985). Gravity anomalies, flexure of the Indian plate, and the structure, support and evolution of the Himalaya and Ganga Basin. *Tectonics*, 4(6), 513-538.
- Mahesh, P., Rai, S. S., Sivaram, K., Paul, A., Gupta, S., Sarma, R., & Gaur, V. K. (2013). One-Dimensional Reference Velocity Model and Precise Locations of Earthquake Hypocenters in the Kumaon–Garhwal Himalaya. *Bulletin of the Seismological Society of America*, 103(1), 328-339.
- McCaffrey, R., & Nabelek, J. (1998). Role of oblique convergence in the active deformation of the Himalayas and southern Tibet Plateau. *Geology*, 26(8), 691-694.
- McCormack, M. D., Dunbar, J. A., & Sharp, W. W. (1984). A case study of stratigraphic interpretation using shear and compressional seismic data. *Geophysics*, 49(5), 509-520.
- McKenzie, D., & Sclater, J. G. (1971). The evolution of the Indian Ocean since the Late Cretaceous. *Geophysical Journal International*, 24(5), 437-528.
- McNamara, D. E., Owens, T. J., Silver, P. G., & Wu, F. T. (1994). Shear wave anisotropy beneath the Tibetan Plateau. *Journal of Geophysical Research: Solid Earth*, 99(B7), 13655-13665.

- Medlicott, H. B. (1864). On the geological structure and relations of the southern portion of the Himalayan ranges between rivers Ganges and the Ravi. *Memoir Geological Survey of India*, 3(2), 122 pp.
- Meissner, R., Rabbel, W., & Kern, H. (2006). Seismic lamination and anisotropy of the lower continental crust. *Tectonophysics*, 416(1), 81-99.
- Michael, A. J. (1987). Use of focal mechanisms to determine stress: a control study. *Journal of Geophysical Research: Solid Earth*, 92(B1), 357-368.
- Middlemiss, C. S. (1910). The Kangra earthquake of 4th April, 1905, *Memoir Geological Survey of India*, 38, 405.
- Miller, C., Thöni, M., Frank, W., Grasemann, B., Klötzli, U., Guntli, P., & Draganits, E. (2001). The early Palaeozoic magmatic event in the Northwest Himalaya, India: source, tectonic setting and age of emplacement. *Geological Magazine*, 138(03), 237-251.
- Mitra, S., Kainkaryam, S. M., Padhi, A., Rai, S. S., & Bhattacharya, S. N. (2011). The Himalayan foreland basin crust and upper mantle. *Physics of the Earth and Planetary Interiors*, 184(1), 34-40.
- Molnar, P., & Tapponnier, P. (1975). Cenozoic tectonics of Asia: effects of a continental collision. *Science*, 189(4201), 419-426.
- Molnar, P., & Lyon-Caen, H. (1989). Fault plane solutions of earthquakes and active tectonics of the Tibetan Plateau and its margins. *Geophysical Journal International*, 99(1), 123-153.
- Molnar, P. (1992). Brace-Goetze strength profiles, the partitioning of strike-slip and thrust faulting at zones of oblique convergence, and the stress-heat flow paradox of the San Andreas fault. *International Geophysics*, 51, 435-459.
- Montagner, J. P., & Anderson, D. L. (1989). Constrained reference mantle model. *Physics of the Earth and Planetary Interiors*, 58(2-3), 205-227.
- Moschetti, M. P., Ritzwoller, M. H., Lin, F. C., & Yang, Y. (2010). Crustal shear wave velocity structure of the western United States inferred from ambient seismic noise and earthquake data. *Journal of Geophysical Research: Solid Earth*, 115(B10).

- Musumeci, C., Patanè, D., Scarfì, L., & Gresta, S. (2005). Stress directions and shear-wave anisotropy: observations from local earthquakes in Southeastern Sicily, Italy. *Bulletin of the Seismological Society of America*, 95(4), 1359-1374.
- Nábělek, J., Hetényi, G., Vergne, J., Sapkota, S., Kafle, B., Jiang, M., Su, H., Chen, J. & Huang, B. S. (2009). Underplating in the Himalaya-Tibet collision zone revealed by the Hi-CLIMB experiment. *Science*, 325(5946), 1371-1374.
- Nelson, K. D., Zhao, W., Brown, L. D., & Kuo, J. (1996). Partially molten middle crust beneath southern Tibet: synthesis of project INDEPTH results. *Science*, 274(5293), 1684.
- Ni, J., & Barazangi, M. (1984). Seismotectonics of the Himalayan collision zone: Geometry of the underthrusting Indian plate beneath the Himalaya. *Journal of Geophysical Research: Solid Earth*, 89(B2), 1147-1163.
- Nyblade, A. A., Owens, T. J., Gurrola, H., Ritsema, J., & Langston, C. A. (2000). Seismic evidence for a deep upper mantle thermal anomaly beneath east Africa. *Geology*, 28(7), 599-602.
- Nye, J. F. (1972). Physical properties of crystals: their representation by tensors and matrices. Oxford University Press, Clarendon.
- O'Connell, R. J., & Budiansky, B. (1974). Seismic velocities in dry and saturated cracked solids. *Journal of Geophysical Research*, 79(35), 5412-5426.
- Oreshin, S., Kiselev, S., Vinnik, L., Prakasam, K. S., Rai, S. S., Makeyeva, L., & Savvin, Y. (2008). Crust and mantle beneath western Himalaya, Ladakh and western Tibet from integrated seismic data. *Earth and Planetary Science Letters*, 271(1), 75-87.
- Oreshin, S. I., Vinnik, L. P., Kiselev, S. G., Rai, S. S., Prakasam, K. S., & Treussov, A. V. (2011). Deep seismic structure of the Indian shield, western Himalaya, Ladakh and Tibet. *Earth and Planetary Science Letters*, 307(3), 415-429.
- Owens, T. J., Zandt, G., & Taylor, S. R. (1984). Seismic evidence for an ancient rift beneath the Cumberland Plateau, Tennessee: A detailed

- analysis of broadband teleseismic P waveforms. *Journal of Geophysical Research: Solid Earth*, 89(B9), 7783-7795.
- Owens, T. J., & Zandt, G. (1997). Implications of crustal property variations for models of Tibetan plateau evolution. *Nature*, 387 (6628), 37.
- Ozacar, A. A., & Zandt, G. (2004). Crustal seismic anisotropy in central Tibet: Implications for deformational style and flow in the crust. *Geophysical Research Letters*, 31(23).
- Pandey, M. R., Tandukar, R. P., Avouac, J. P., Lave, J., & Massot, J. P. (1995). Interseismic strain accumulation on the Himalayan crustal ramp (Nepal). *Geophysical Research Letters*, 22(7), 751-754.
- Park, J., & Levin, V. (2000). Receiver functions from multiple-taper spectral correlation estimates. *Bulletin of the Seismological Society of America*, 90(6), 1507-1520.
- Park, J., Yuan, H., & Levin, V. (2004). Subduction zone anisotropy beneath Corvallis, Oregon: A serpentinite skid mark of trench-parallel terrane migration? *Journal of Geophysical Research: Solid Earth*, 109(B10).
- Paul, A., Hazarika, D., & Wadhawan, M. (2017). Shear wave splitting and crustal anisotropy in the Eastern Ladakh-Karakoram zone, northwest Himalaya. *Journal of Asian Earth Sciences*, 140, 122-134.
- Paul, J., Bürgmann, R., Gaur, V.K., Bilham, R., Larson, K.M., Ananda, M.B., Jade, S., Mukal, M., Anupama, T.S., Satyal, G. and Kumar, D., (2001). The motion and active deformation of India. *Geophysical Research Letters*, 28(4), 647-650.
- Paulssen, H. (2004). Crustal anisotropy in southern California from local earthquake data. *Geophysical Research Letters*, 31(1), L01601, doi: 10.1029/2003GL018654.
- Peterson, J. (1993). Observations and modeling of seismic background noise, *United States of Geological Survey technical report*, 93-322.
- Phinney, R. A. (1964). Structure of the Earth's crust from spectral behavior of long-period body waves. *Journal of Geophysical Research*, 69(14), 2997-3017.

- Pilgrim, G. E. (1910). Notices of new mammalian genera and species from the Tertiaries of India. *Records of the Geological Survey of India*, 40(1), 63-71.
- Pilgrim, G. E., & West, W. D. (1928). The structure and correlation of the Simla rocks. *Memoir Geological Survey of India*, 53, 140 pp.
- Powers, P. M., Lillie, R. J., & Yeats, R. S. (1998). Structure and shortening of the Kangra and Dehra Dun reentrants, Sub-Himalaya, India. *Geological Society of America Bulletin*, 110(8), 1010-1027.
- Prasad, B. R., Klemperer, S. L., Rao, V. V., Tewari, H. C., & Khare, P. (2011). Crustal structure beneath the Sub-Himalayan fold-thrust belt, Kangra recess, northwest India, from seismic reflection profiling: Implications for Late Paleoproterozoic orogenesis and modern earthquake hazard. *Earth and Planetary Science Letters*, 308(1), 218-228.
- Prakash, B., Sharma, R. P., & Roy, A. K. (1980). The Siwalik Group (molasse) sediments shed by collision of continental plates. *Sedimentary Geology*, 25(1), 127-159.
- Příkryl, R., Lokajíček, T., Pros, Z., & Klíma, K. (2007). Fabric symmetry of low anisotropic rocks inferred from ultrasonic sounding: Implications for the geomechanical models. *Tectonophysics*, 431(1), 83-96.
- Punturo, R., Kern, H., Cirrincione, R., Mazzoleni, P., & Pezzino, A. (2005). P- and S-wave velocities and densities in silicate and calcite rocks from the Peloritani Mountains, Sicily (Italy): The effect of pressure, temperature and the direction of wave propagation. *Tectonophysics*, 409(1), 55-72.
- Rai, S. S., Priestley, K., Gaur, V. K., Mitra, S., Singh, M. P., & Searle, M. (2006). Configuration of the Indian Moho beneath the NW Himalaya and Ladakh. *Geophysical Research Letters*, 33(15), L15308, doi:10.1029/2006GL02607.
- Raiverman, V. (2002). *Foreland sedimentation in Himalayan tectonic regime: a relook at the orogenic process*. Bishen Singh Mahendra Pal Singh, Dehradun, India, 378 pp.

- Raiberman, V., & Raman, K. S. (1971). Facies relations in the Subathu sediments, Simla Hills, northwestern Himalaya, India. *Geological Magazine*, 108(4), 329-341.
- Ramana, Y. V., & Rao, M. V. M. S. (1974). Q by pulse broadening in rocks under pressure. *Physics of the Earth and Planetary Interiors*, 8(4), 337-341.
- Rao, M. R. (1973). The subsurface geology of the Indo-Gangetic plains. *Geological Society of India*, 14(3), 217-242.
- Rao, M. V. M. S., & Lakshmi, K. P. (2003). Shear-wave propagation in rocks and other lossy media: An experimental study. *Current Science*, 1221-1225.
- Rasolofosaon, P. N. J., Rabbel, W., Siegesmund, S., & Vollbrecht, A. (2000). Characterization of crack distribution: fabric analysis versus ultrasonic inversion. *Geophysical Journal International*, 141(2), 413-424.
- Rawat, G., Arora, B. R., & Gupta, P. K. (2014). Electrical resistivity cross-section across the Garhwal Himalaya: Proxy to fluid-seismicity linkage. *Tectonophysics*, 637, 68-79.
- Ribe, N. M. (1992). On the relation between seismic anisotropy and finite strain. *Journal of Geophysical Research: Solid Earth*, 97(B6), 8737-8747.
- Richter, C. F. (1958). *Elementary Seismology*, WH Freeman and Company. San Francisco, 136-139.
- Robert, X., Van Der Beek, P., Braun, J., Perry, C., & Mugnier, J. L. (2011). Control of detachment geometry on lateral variations in exhumation rates in the Himalaya: Insights from low-temperature thermochronology and numerical modeling. *Journal of Geophysical Research: Solid Earth*, 116(B5).
- Robertson, J. D., & Corrigan, D. (1983). Radiation patterns of a shear-wave vibrator in near-surface shale. *Geophysics*, 48(1), 19-26.
- Rosenbaum, G., & Mo, W. (2011). Tectonic and magmatic responses to the subduction of high bathymetric relief. *Gondwana Research*, 19(3), 571-582.

- Saikia, S., Chopra, S., Baruah, S., & Singh, U. K. (2017). Shallow Sedimentary Structure of the Brahmaputra Valley Constraint from Receiver Functions Analysis. *Pure and Applied Geophysics*, 174(1), 229-247.
- Sambridge, M., Braun, J., & McQueen, H. (1995). Geophysical parametrization and interpolation of irregular data using natural neighbours. *Geophysical Journal International*, 122(3), 837-857.
- Sambridge, M. (1999a). Geophysical inversion with a neighbourhood algorithm searching a parameter space—I. *Geophysical Journal International*, 138, 479-494.
- Sambridge, M. (1999b). Geophysical inversion with a neighbourhood algorithm—II. Appraising the ensemble. *Geophysical Journal International*, 138(3), 727-746.
- Sandvol, E., Ni, J., Kind, R., & Zhao, W. (1997). Seismic anisotropy beneath the southern Himalayas-Tibet collision zone. *Journal of Geophysical Research: Solid Earth*, 102(B8), 17813-17823.
- Sastri, V. V., Bhandari, L. L., Raju, A. T. R., & Datta, A. K. (1971). Tectonic framework and subsurface stratigraphy of the Ganga basin. *Geological Society of India*, 12(3), 222-233.
- Savage, M. K. (1998). Lower crustal anisotropy or dipping boundaries? Effects on receiver functions and a case study in New Zealand. *Journal of Geophysical Research: Solid Earth*, 103(B7), 15069-15087.
- Savage, M. K. (1999). Seismic anisotropy and mantle deformation: what have we learned from shear wave splitting? *Reviews of Geophysics*, 37(1), 65-106.
- Savage, M. K., Wessel, A., Teanby, N. A., & Hurst, A. W. (2010). Automatic measurement of shear wave splitting and applications to time varying anisotropy at Mount Ruapehu volcano, New Zealand. *Journal of Geophysical Research: Solid Earth*, 115, B12321.
- Schelling, D., & Arita, K. (1991). Thrust tectonics, crustal shortening, and the structure of the far-eastern Nepal Himalaya. *Tectonics*, 10(5), 851-862.

- Schulte-Pelkum, V., Monsalve, G., Sheehan, A., Pandey, M. R., Sapkota, S., Bilham, R., & Wu, F. (2005). Imaging the Indian subcontinent beneath the Himalaya. *Nature*, 435(7046), 1222-1225.
- Searle, M. P. (1986). Structural evolution and sequence of thrusting in the High Himalayan, Tibetan—Tethys and Indus suture zones of Zanskar and Ladakh, Western Himalaya. *Journal of Structural Geology*, 8(8), 923-936.
- Searle, M. P., Simpson, R. L., Law, R. D., Parrish, R. R., & Waters, D. J. (2003). The structural geometry, metamorphic and magmatic evolution of the Everest massif, High Himalaya of Nepal–South Tibet. *Journal of the Geological Society*, 160(3), 345-366.
- Seeber, L., & Armbruster, J. G. (1981). Great detachment earthquakes along the Himalayan Arc and long-term forecasting. *Earthquake prediction: An International Review*, Maurice Ewing Ser., 4D. W. Simpson, P. G. Richards, 259–277.
- Sharma, K.K. (1977). A contribution to the geology of the Sutlej Valley, Kinnaur, Himachal Pradesh, India, *Ecologie et Géologie de l'Himalaya*, 268, 369-378.
- Sharma, R. (2011). An integrated study of physical, mechanical and acoustic properties of rocks of the Bhagirathi and Alaknanda valleys and their inter-relationship (Unpublished PhD thesis). Garhwal University, Srinagar, Uttarakhand.
- Sharma, R., Gupta, V., Arora, B. R., & Sen, K. (2011). Petrophysical properties of the Himalayan granitoids: Implication on composition and source. *Tectonophysics*, 497(1), 23-33.
- Sharma, V. P. (1977). Geology of the Kulu-Rampur belt, Himachal Pradesh. *Geological Survey of India Memoir*, 106, 235-407.
- Sheehan, A. F., Abets, G. A., Jones, C. H., & Lerner-Lam, A. L. (1995). Crustal thickness variations across the Colorado Rocky. *Journal of Geophysical Research*, 100(B10), 20391-20404.
- Sheehan, A. F., Shearer, P. M., Gilbert, H. J., & Dueker, K. G. (2000). Seismic migration processing of P-SV converted phases for mantle discontinuity structure beneath the Snake River plain, western United

- States. *Journal of Geophysical Research: Solid Earth*, 105(B8), 19055-19065.
- Sheriff, R. E., & Geldart, L. P. (1995). *Exploration Seismology*. Cambridge University Press, 1-628.
- Sherrington, H. F., Zandt, G., & Frederiksen, A. (2004). Crustal fabric in the Tibetan Plateau based on waveform inversions for seismic anisotropy parameters. *Journal of Geophysical Research: Solid Earth*, 109, B02312, doi:10.1029/2002JB002345.
- Shibutani, T., Sambridge, M., & Kennett, B. (1996). Genetic algorithm inversion for receiver functions with application to crust and uppermost mantle structure beneath eastern Australia. *Geophysical Research Letters*, 23(14), 1829-1832.
- Siegesmund, S., Takeshita, T., & Kern, H. (1989). Anisotropy of Vp and Vs in an amphibolite of the deeper crust and its relationship to the mineralogical, microstructural and textural characteristics of the rock. *Tectonophysics*, 157(1-3), 25-38.
- Silver, P. G., & Chan, W. W. (1988). Implications for continental structure and evolution from seismic anisotropy. *Nature*, 335(6185), 34-39.
- Silver, P. G., & Chan, W. W. (1991). Shear wave splitting and subcontinental mantle deformation. *Journal of Geophysical Research: Solid Earth*, 96(B10), 16429-16454.
- Singer, J., Kissling, E., Diehl, T., & Hetényi, G. (2017). The underthrusting Indian crust and its role in collision dynamics of the Eastern Himalaya in Bhutan: Insights from receiver function imaging. *Journal of Geophysical Research: Solid Earth*, 122(2), 1152-1178.
- Singh, A., Kumar, M. R., & Raju, P. S. (2007). Mantle deformation in Sikkim and adjoining Himalaya: Evidences for a complex flow pattern. *Physics of the Earth and Planetary Interiors*, 164(3), 232-241.
- Singh, A., Singh, C., & Kennett, B. L. N. (2015). A review of crust and upper mantle structure beneath the Indian subcontinent. *Tectonophysics*, 644, 1-21.

- Singh, S., Sinha, P., Jain, A. K., Singh, V. N., & Srivastava, L. S. (1975). Preliminary report on the January 19, 1975, Kinnaur earthquake in Himachal Pradesh. *Earthquake Engineering Studies*, 75(4), 1-32.
- Sol, S., Meltzer, A., Bürgmann, R., Van der Hilst, R.D., King, R., Chen, Z., Koons, P.O., Lev, E., Liu, Y.P., Zeitler, P.K. & Zhang. (2007). Geodynamics of the southeastern Tibetan Plateau from seismic anisotropy and geodesy. *Geology*, 35(6), 563-566.
- Srikantia, S. V., & Sharma, R. P. (1976). Geology of the Shali Belt and the adjoining areas. *Memoir Geological Survey of India*, 106(1), 33-165.
- Srikantia, S. V., & Bhargava, O. N. (1982). An outline of the structure of the area between the Rohtang Pass in Lahaul and the Indus Valley in Ladakh. *Memoir Geological Survey of India*, 41, 193-204.
- Srikantia, S. V., & Bhargava, O. N. (1998). Geology of Himachal Pradesh. *Geological Survey of India*, Bangalore, 406 pp.
- Srinivas, D., Srinagesh, D., Chadha, R. K., & Kumar, M. R. (2013). Sedimentary thickness variations in the Indo-Gangetic foredeep from inversion of receiver functions. *Bulletin of the Seismological Society of America*, 103(4), 2257-2265.
- Srivastava, P., & Mitra, G. (1994). Thrust geometries and deep structure of the outer and lesser Himalaya, Kumaon and Garhwal (India): Implications for evolution of the Himalayan fold-and-thrust belt. *Tectonics*, 13(1), 89-109.
- Steck, A., Spring, L., Vannay, J.C., Masson, H., Bucher, H., Stutz, E., Marchant, R. & Tieche, J.C. (1993). The tectonic evolution of the Northwestern Himalaya in eastern Ladakh and Lahul, India. *Geological Society, London, Special Publications*, 74(1), 265-276.
- Stoffa, P. L., & Sen, M. K. (1991). Nonlinear multiparameter optimization using genetic algorithms: Inversion of plane-wave seismograms. *Geophysics*, 56(11), 1794-1810.
- Sun, Y., Niu, F., Liu, H., Chen, Y., & Liu, J. (2012). Crustal structure and deformation of the SE Tibetan plateau revealed by receiver function data. *Earth and Planetary Science Letters*, 349, 186-197.

- Tandon, R. S., & Gupta, V. (2015). Estimation of strength characteristics of different Himalayan rocks from Schmidt hammer rebound, point load index, and compressional wave velocity. *Bulletin of Engineering Geology and the Environment*, 74(2), 521-533.
- Tatham, D. J., Lloyd, G. E., Butler, R. W. H., & Casey, M. (2008). Amphibole and lower crustal seismic properties. *Earth and Planetary Science Letters*, 267(1), 118-128.
- Teanby, N. A., Kendall, J. M., & Van der Baan, M. (2004). Automation of shear-wave splitting measurements using cluster analysis. *Bulletin of the Seismological Society of America*, 94(2), 453-463.
- Thakur, S. S., & Patel, S. C. (2012). Mafic and pelitic xenoliths in the Kinnaur Kailash Granite, Baspa river valley, NW Himalaya: evidence of pre-Himalayan granulite metamorphism followed by cooling event. *Journal of Asian Earth Sciences*, 56, 105-117.
- Thakur, V. C. (1992). *Geology of Western Himalaya*. Oxford. Pergamon Press. 363 pp.
- Thakur, V. C., & Rawat, B. S. (1992). *Geologic map of Western Himalaya*. Dehra Dun. India, Wadia Institute of Himalayan Geology, scale, 1(1,000,000).
- Thakur, V. C., Sriram, V., & Mundepi, A. K. (2000). Seismotectonics of the great 1905 Kangra earthquake meizoseismal region in Kangra–Chamba, NW Himalaya. *Tectonophysics*, 326(3), 289-298.
- Thiede, R. C., Arrowsmith, J. R., Bookhagen, B., McWilliams, M., Sobel, E. R., & Strecker, M. R. (2006). Dome formation and extension in the Tethyan Himalaya, Leo Pargil, northwest India. *Geological Society of America Bulletin*, 118(5-6), 635-650.
- Thill, R. E., Willard, R. J., & Bur, T. R. (1969). Correlation of longitudinal velocity variation with rock fabric. *Journal of Geophysical Research*, 74(20), 4897-4909.
- Tilmann, F., Ni, J., & INDEPTH III, S. T. (2003). Seismic imaging of the downwelling Indian lithosphere beneath central Tibet. *Science*, 300(5624), 1424-1427.

- Unsworth, M. J., Jones, A. G., Wei, W., & Marquis, G. (2005). Crustal rheology of the Himalaya and Southern Tibet inferred from magnetotelluric data. *Nature*, 438(7064), 78-81.
- Valdiya, K. S. (1976). Himalayan transverse faults and folds and their parallelism with subsurface structures of north Indian plains. *Tectonophysics*, 32(3-4), 353-386.
- Valdiya, K.S. (1998). *Dynamic Himalaya*, University Press, Hyderabad, 178 pp.
- Vannay, J. C., & Grasemann, B. (1998). Himalayan inverted metamorphism in the High Himalaya of Kinnaur (NW India): petrography versus thermobarometry. *Schweizerische Mineralogische und Petrographische Mitteilungen*, 78, 107-132.
- Vannay, J. C., & Grasemann, B. (2001). Himalayan inverted metamorphism and syn-convergence extension as a consequence of a general shear extrusion. *Geological Magazine*, 138(3), 253-276.
- Vannay, J. C., Grasemann, B., Rahn, M., Frank, W., Carter, A., Baudraz, V., & Cosca, M. (2004). Miocene to Holocene exhumation of metamorphic crustal wedges in the NW Himalaya: Evidence for tectonic extrusion coupled to fluvial erosion. *Tectonics*, 23(1).
- Vavryčuk, V. (1993). Crustal anisotropy from local observations of shear-wave splitting in West Bohemia, Czech Republic. *Bulletin of the Seismological Society of America*, 83(5), 1420-1441.
- Vernon, F. L., Fletcher, J., Carroll, L., Chave, A., & Semera, E. (1991). Coherence of seismic body waves from local events as measured by a small-aperture array. *Journal of Geophysical Research: Solid Earth*, 96(B7), 11981-11996.
- Vinnik, L. P. (1977). Detection of waves converted from P to SV in the mantle. *Physics of the Earth and Planetary Interiors*, 15(1), 39-45.
- Vinnik, L. P., & Kosarev, G. L. (1981). Determination of crustal parameters from observations of teleseismic body waves. In *Proc. Acad. Sci. USSR* (Vol. 261, pp. 1091-1095).
- Virdi, N. S. (1977). Stratigraphy and structure of the Narkanda area, district Simla, Himachal Pradesh, India. *Recent Res. Geol.*, 3, 453-467.

- Von Rebeur-Paschwitz, E. (1889). The earthquake of Tokio, April 18, 1889. *Nature*, 40, 294-295.
- Wadhawan, M., Hazarika, D., Paul, A., Kumar, N., Thakur, S. S., & Gupta, V. (2017). Crustal thickness and Poisson's ratio variation in the Satluj Valley, Northwest Himalaya. *Himalayan Geology*, 38(1), 38-48.
- Wallace, K., Bilham, R., Blume, F., Gaur, V. K., & Gahalaut, V. (2005). Surface deformation in the region of the 1905 Kangra Mw= 7.8 earthquake in the period 1846–2001. *Geophysical Research Letters*, 32(15), L15307, doi:10.1029/2005GL022906.
- Wang, C. Y., Zhu, L., Lou, H., Huang, B. S., Yao, Z., & Luo, X. (2010). Crustal thicknesses and Poisson's ratios in the eastern Tibetan Plateau and their tectonic implications. *Journal of Geophysical Research: Solid Earth*, 115, B11301, doi:10.1029/2010JB007527.
- Wang, Q., Zhang, P.Z., Freymueller, J.T., Bilham, R., Larson, K.M., Lai, X.A., You, X., Niu, Z., Wu, J., Li, Y. & Liu, J. (2001). Present-day crustal deformation in China constrained by global positioning system measurements. *Science*, 294(5542), 574-577.
- Webb, A. A. G., Yin, A., Harrison, T. M., Célérier, J., & Burgess, W. P. (2007). The leading edge of the Greater Himalayan Crystalline complex revealed in the NW Indian Himalaya: Implications for the evolution of the Himalayan orogen. *Geology*, 35(10), 955-958.
- Weiss, T., Siegesmund, S., Rabbel, W., Bohlen, T., & Pohl, M. (1999). Seismic velocities and anisotropy of the lower continental crust: a review. *Seismic Exploration of the Deep Continental Crust*, 97-122.
- Wielandt, E., & Steim, J. M. (1986). A digital very-broad-band seismograph. *Ann. Geophys. Ser. B.*, 4(3), 227-232.
- Wielandt, E., & Streckeisen, G. (1982). The leaf-spring seismometer: Design and performance. *Bulletin of the Seismological Society of America*, 72(6A), 2349-2367.
- Wittlinger, G., Vergne, J., Tapponnier, P., Farra, V., Poupinet, G., Jiang, M., Su, H., Herquel, G. & Paul, A. (2004). Teleseismic imaging of subducting lithosphere and Moho offsets beneath western Tibet. *Earth and Planetary Science Letters*, 221(1), 117-130.

- Wu, J., Zhang, Z., Kong, F., Yang, B. B., Yu, Y., Liu, K. H., & Gao, S. S. (2015). Complex seismic anisotropy beneath western Tibet and its geodynamic implications. *Earth and Planetary Science Letters*, 413, 167-175.
- Wuestefeld, A., Al-Harrasi, O., Verdon, J. P., Wookey, J., & Kendall, J. M. (2010). A strategy for automated analysis of passive microseismic data to image seismic anisotropy and fracture characteristics. *Geophysical Prospecting*, 58(5), 755-773.
- Xu, L., Rondenay, S., & van der Hilst, R. D. (2007). Structure of the crust beneath the southeastern Tibetan Plateau from teleseismic receiver functions. *Physics of the Earth and Planetary Interiors*, 165(3), 176-193.
- Yadav, D. K., Kumar, N., Hazarika, D., Yadav, D. N., & Wadhawan, M. (2017). Seismicity and Tectonics of Kinnaur Himalaya and adjoining region inferred from focal mechanism solutions and stress tensor inversion. *Himalayan Geology*, 38(1), 49-55.
- Yang, Y. H., Zhu, L. B., Su, Y. J., Chen, H. P., Wang, Q. D., & Zhang, P. (2015). Crustal anisotropy estimated by splitting of Ps-converted waves on seismogram and an application to SE Tibetan plateau. *Journal of Asian Earth Sciences*, 106, 216-228.
- Yeck, W. L., Sheehan, A. F., & Schulte-Pelkum, V. (2013). Sequential H-κ stacking to obtain accurate crustal thicknesses beneath sedimentary basins. *Bulletin of the Seismological Society of America*, 103(3), 2142-2150.
- Yin, A. (2006). Cenozoic tectonic evolution of the Himalayan orogen as constrained by along-strike variation of structural geometry, exhumation history, and foreland sedimentation. *Earth-Science Reviews*, 76(1), 1-131.
- Yuan, X., Ni, J., Kind, R., Mechie, J., & Sandvol, E. (1997). Lithospheric and upper mantle structure of southern Tibet from a seismological passive source experiment. *Journal of Geophysical Research: Solid Earth*, 102(B12), 27491-27500.

- Zaccarelli, L., Bianco, F., & Zaccarelli, R. (2012). Splitting parameter yield (SPY): A program for semiautomatic analysis of shear-wave splitting. *Computers & Geosciences*, 40, 138-145.
- Zandt, G., & Ammon, C. J. (1995). Continental crust composition constrained by measurements of crustal Poisson's ratio. *Nature*, 374(6518), 152.
- Zelt, B. C., & Ellis, R. M. (1999). Receiver-function studies in the Trans-Hudson orogen, Saskatchewan. *Canadian Journal of Earth Sciences*, 36(4), 585-603.
- Zhang, J., & Langston, C. A. (1995). Dipping structure under Dourbes, Belgium, determined by receiver function modeling and inversion. *Bulletin of the Seismological Society of America*, 85(1), 254-268.
- Zhang, Z., & Schwartz, S. Y. (1994). Seismic anisotropy in the shallow crust of the Loma Prieta segment of the San Andreas fault system. *Journal of Geophysical Research: Solid Earth*, 99(B5), 9651-9661.
- Zhao, J., Yuan, X., Liu, H., Kumar, P., Pei, S., Kind, R., Zhang, Z., Teng, J., Ding, L., Gao, X. & Xu, Q. (2010). The boundary between the Indian and Asian tectonic plates below Tibet. *Proceedings of the National Academy of Sciences*, 107(25), 11229-11233.
- Zhao, W., Nelson, K. D., Che, J., Quo, J., Lu, D., Wu, C., & Liu, X. (1993). Deep seismic reflection evidence for continental underthrusting beneath southern Tibet. *Nature*, 366(6455), 557-559.
- Zhao, W., Kumar, P., Mechie, J., Kind, R., Meissner, R., Wu, Z., ... & Tilmann, F. (2011). Tibetan plate overriding the Asian plate in central and northern Tibet. *Nature Geoscience*, 4(12), 870-873.
- Zhu, L., & Kanamori, H. (2000). Moho depth variation in southern California from teleseismic receiver functions. *Journal of Geophysical Research: Solid Earth*, 105(B2), 2969-2980.