

List of Figures

Chapter 1

- Figure 1.1: The (a) rocksalt (cubic), (b) zinc blende (cubic) and (c) wurtzite (hexagonal) structures model of ZnO.
- Figure 1.2: Crystal structure models of (a) scheelite and (b) zircon-type BiVO₄.
- Figure 1.3: (a) Crystal structure of monoclinic clinobisvanite BiVO₄; (b) polyhedron structure representation; (c) top view and (d) side view.
- Figure 1.4: Total and local partial density of states of monoclinic clinobisvanite BiVO₄. The DOS is decomposed into the main electron states of each component
- Figure 1.5: Photoelectrochemical based solar hydrogen production system
- Figure 1.6: Photoelectrochemical cell showing metal cathode and semiconducting photoanode & its energy diagram
- Figure 1.7: General mechanism of the photocatalysis
- Figure 1.8: Band gap and edge position of various compounds
- Figure 1.9: Intensity vs wavelength plot of solar spectrum under 1.5 AM condition
- Figure 1.10: Conditions for semiconductor stability in electrolyte (A) stable, (B) unstable, (C) stability against cathodic decomposition, (D) stable against anodic decomposition;

where E_d is decomposition potential

Figure 1.11: Photocatalytic process ZnO with anodic dopants decorated on surface.

Figure 1.12: Various applications of hydrogen energy in diverse fields

Chapter 2

Figure 2.1: Schematic showing preparation of ZnO-BiVO₄ nanocomposite

Chapter 3

Figure 3.1: TEM micrograph of (a) BiVO₄ nanoparticles, (b) ZnO nanosheets (c) & (d) ZnO/BiVO₄ (1:1) nanocomposite (e) EDS for ZnO-BiVO₄ (1:1) nanocomposite

Figure 3.2: TEM images of composite samples revealing complete attachment of BiVO₄ nanoparticles to ZnO nanosheets at lower magnification scale

Figure 3.3: XRD spectras of ZnO nanosheets (a), BiVO₄ nanoparticles (b) and ZnO/BiVO₄ nanocomposite (c)

Figure 3.4: Photoluminescence for ZnO nanosheets (a), BiVO₄ nanoparticles (b), ZnO-BiVO₄ nanocomposite (c) and Luminescence decay study (d) Tauc's plot for ZnO nanosheets (a), BiVO₄ nanoparticles (b) and ZnO-BiVO₄ nanocomposite (c)

Figure 3.5: XPS spectra for: (a) Zn 2p peak of pure ZnO and ZnO-BiVO₄ heterojunction; (b) O1s peak of pure ZnO and ZnO-BiVO₄ heterojunction; (c) V 2p peak of pure BiVO₄ and ZnO-BiVO₄ heterojunction (d) Bi 4f peak of pure BiVO₄ and ZnO-BiVO₄ heterojunction

Figure 3.6: Tauc's plot for ZnO nanosheets (a), BiVO₄ nanoparticles (b) and ZnO- BiVO₄ nanocomposite (c)

Figure 3.7: ZnO(101)- BiVO₄ hetrojunction optimized geometrical structure

- Figure 3.8: Calculated band structures of (a) ZnO, (b) BiVO₄, and (c) ZnO-BiVO₄ heterojunction
- Figure 3.9: Calculated TDOS and PDOS of (a) ZnO-BiVO₄ heterojunction (b) ZnO (c) BiVO₄ heterojunction. The vertical line is Fermi level.
- Figure 3.10: SEM micrograph of photoanode samples (a) pure ZnO (hexagonal wurtzite structure) (b) B1; BiVO₄ (0.035 M)/ZnO (c) B2; BiVO₄ (0.05 M)/ ZnO and (d) B3; BiVO₄ (0.1M)/ ZnO.
- Figure 3.11: X-ray diffractogram of photoanode samples (a) pure ZnO (hexagonal wurtzite structure) (b) B1; BiVO₄ (0.035 M)/ZnO (c) B2; BiVO₄ (0.05 M)/ ZnO and (d) B3; BiVO₄ (0.1M)/ ZnO. ZnO and BiVO₄ peaks were differentiated using closed rhombus (◆) and open square (◻) symbols, respectively.
- Figure 3.12: (A) Diffused reflectance spectra of photoanode samples (a) pure ZnO (b) B1; BiVO₄ (0.035 M)/ZnO (c) B2; BiVO₄ (0.05 M)/ ZnO and (d) B3; BiVO₄ (0.1M)/ ZnO
- Figure 3.13: K-M plots of photoanode samples (a) pure ZnO (b) B1; BiVO₄ (0.035 M)/ZnO (c) B2; BiVO₄ (0.05 M)/ ZnO and (d) B3; BiVO₄ (0.1M)/ ZnO.
- Chapter 4**
- Figure 4.1: C/Co curves for ZnO, BiVO₄, ZnO-BiVO₄ (1:1), ZnO-BiVO₄ (1:2) and ZnO-BiVO₄ (2:1) samples for MB dye solution (a) and first order rate kinetics of MB dye degradation for various samples (b)
- Figure 4.2: C/Co curve (a) and First order rate kinetics (b) of ZnO- BiVO₄ (1:1) sample for RhB dye degradation
- Figure 4.3: UV-Vis spectra for (a) RhB and (b) MB dye
- Figure 4.4: Repeatability test for ZnO- BiVO₄ (1:1) nanocomposite using MB dye

Figure 4.5: PL spectra for pure ZnO (a) without milling and (b) with milling process

Figure 4.6: Mechanism of action of nanocomposite photocatalyst

Chapter 5

Figure 5.1: Photocurrent-time characteristics (J vs t) of photoanode samples (a) pure ZnO (b) B1; BiVO₄ (0.035 M)/ZnO (c) B2; BiVO₄ (0.05 M)/ ZnO and (d) B3; BiVO₄ (0.1M)/ ZnO at applied potential 0 V in 1 M NaOH light source having 300-500 nm wavelength at 1 sun intensity.

Figure 5.2: Photoelectrochemical properties (J vs V curve) of photoanode samples (a) pure ZnO (b) B1; BiVO₄ (0.035 M)/ZnO (c) B2; BiVO₄ (0.05 M)/ZnO and (d) B3; BiVO₄ (0.1M)/ZnO in 1 M NaOH light source having 300-500 nm wavelength at 1 sun intensity (scan rate, 50 mV/s) Light currents and dark currents are shown with respective solid and dashed color lines.

Figure 5.3 : Electrochemical impedance Plots of photoanode samples (a) pure ZnO (b) B1; BiVO₄ (0.035 M)/ZnO (c) B2; BiVO₄ (0.05 M)/ZnO and (d) B3; BiVO₄ (0.1M)/ZnO

Figure 5.4: Mott-Schottky plots of photoanode samples (a) pure ZnO (b) B1; BiVO₄ (0.035 M)/ZnO (c) B2; BiVO₄ (0.05 M)/ZnO and (d) B3; BiVO₄ (0.1M)/ZnO (e) pure BiVO₄

Figure 5.5: The schematic diagram to illustrate complete band diagram and PEC mechanism showing electron transfer from BiVO₄ (low CB edge material) to ZnO (high CB edge material) by almost matching flat band potential phenomenon.