

Name:

Enrolment No:



UNIVERSITY OF PETROLEUM AND ENERGY STUDIES

End Semester Examination, May, 2019

Course: Business Mathematics (CLNL1016)

Semester: II

Programme: BBA LLB, BCom (LLB) all branches

Time: 03 hrs.

Max. Marks: 100

Instructions: Calculators allowed.

SECTION A

Q	All questions are compulsory and each carry equal marks.	Marks	CO
1	If the arithmetic mean of data 40, 10, 70, 30, 50, X, 60 is 40. Find the value of X.	2	CO1
2	Define Q_1 , Q_3 and Inter quartile range	2	CO2
3	Define Mutually Exclusive Events with example	2	CO2
4	Classify the types of sampling	2	CO3
5	Define the type of errors based on the hypothesis	2	CO3

SECTION B

Q	All questions are compulsory and each carry equal marks.	Marks	CO
6	A candidate is selected for interview of management trainees for 3 companies. For the first company there are 12 candidates, for the second company there are 15 candidates and for the third company there are 10 candidates. What are the chances of getting job in at least one of the company?	10	CO2
7	A machine is producing bolts a certain fraction of which are defective. A random sample of 400 is taken from a large batch and is found to contain 30 defective bolts. Does this indicate that the proportion of defectives is larger than that claimed by the manufacturer if the manufacturer claims that only 5% of his product are defective?	10	CO3

SECTION-C

Q	All questions are compulsory and each carry equal marks.	Marks	CO																		
8	<p>After investigation it has been found the demand for automobiles in a city depends mainly, if not entirely, upon the number of family residing in that city. Below are given figures of sales of automobiles in the five cities for the year 2003 and the number of families residing in those cities.</p> <p>Estimated sales for the year 2004, for city A, if number of family increased to 100, then the sales of automobiles.</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>City</th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> </tr> </thead> <tbody> <tr> <td>No. of families (in Lakh (X))</td> <td>70</td> <td>65</td> <td>80</td> <td>60</td> <td>90</td> </tr> <tr> <td>Sales of Automobiles (in 000's (Y))</td> <td>25.2</td> <td>28.6</td> <td>30.2</td> <td>22.3</td> <td>35.4</td> </tr> </tbody> </table>	City	A	B	C	D	E	No. of families (in Lakh (X))	70	65	80	60	90	Sales of Automobiles (in 000's (Y))	25.2	28.6	30.2	22.3	35.4	10	CO1
City	A	B	C	D	E																
No. of families (in Lakh (X))	70	65	80	60	90																
Sales of Automobiles (in 000's (Y))	25.2	28.6	30.2	22.3	35.4																

9	Before an increase in excise duty on tea, 800 people out of a sample of 1000 persons were found to be tea drinkers. After an increase in the duty, 800 persons were known	10	CO3
---	---	----	-----

to be tea drinkers in a sample of 1200 people. Do you think that there has been a significant decrease in the consumption of tea after the increase in the excise duty?


SECTION-D

Q	Attempt any five questions	Marks	CO																																	
10	<p>Calculate the mean, median, mode, quartiles and interquartile range:</p> <table border="1"> <tr> <td>Marks more than</td> <td>0</td> <td>20</td> <td>40</td> <td>60</td> <td>80</td> <td>100</td> <td>120</td> </tr> <tr> <td>No. of students</td> <td>80</td> <td>76</td> <td>50</td> <td>28</td> <td>18</td> <td>9</td> <td>3</td> </tr> </table>	Marks more than	0	20	40	60	80	100	120	No. of students	80	76	50	28	18	9	3	10	CO1																	
Marks more than	0	20	40	60	80	100	120																													
No. of students	80	76	50	28	18	9	3																													
11	<p>The following table gives the number of accidents that took place in an industry during various days of the week. Test if accidents are uniformly distributed over the week.</p> <table border="1"> <tr> <td><i>Day</i></td> <td><i>Mon</i></td> <td><i>Tue</i></td> <td><i>Wed</i></td> <td><i>Thu</i></td> <td><i>Fri</i></td> <td><i>Sat</i></td> </tr> <tr> <td><i>Number of accidents</i></td> <td>14</td> <td>18</td> <td>12</td> <td>11</td> <td>15</td> <td>14</td> </tr> </table>	<i>Day</i>	<i>Mon</i>	<i>Tue</i>	<i>Wed</i>	<i>Thu</i>	<i>Fri</i>	<i>Sat</i>	<i>Number of accidents</i>	14	18	12	11	15	14	10	CO3																			
<i>Day</i>	<i>Mon</i>	<i>Tue</i>	<i>Wed</i>	<i>Thu</i>	<i>Fri</i>	<i>Sat</i>																														
<i>Number of accidents</i>	14	18	12	11	15	14																														
12	<p>Find the correlation coefficient between the sales and expenses from the following:</p> <table border="1"> <tr> <td>Firm</td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td>10</td> </tr> <tr> <td>Sales</td> <td>50</td> <td>50</td> <td>55</td> <td>60</td> <td>65</td> <td>65</td> <td>65</td> <td>60</td> <td>60</td> <td>50</td> </tr> <tr> <td>Expenses</td> <td>11</td> <td>13</td> <td>14</td> <td>16</td> <td>16</td> <td>15</td> <td>15</td> <td>14</td> <td>13</td> <td>13</td> </tr> </table>	Firm	1	2	3	4	5	6	7	8	9	10	Sales	50	50	55	60	65	65	65	60	60	50	Expenses	11	13	14	16	16	15	15	14	13	13	10	CO1
Firm	1	2	3	4	5	6	7	8	9	10																										
Sales	50	50	55	60	65	65	65	60	60	50																										
Expenses	11	13	14	16	16	15	15	14	13	13																										
13	<p>A die is thrown 276 times and the results of these throws are given below:</p> <table border="1"> <tr> <td><i>Number appeared on the die</i></td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> </tr> <tr> <td><i>Frequency</i></td> <td>40</td> <td>32</td> <td>29</td> <td>59</td> <td>57</td> <td>59</td> </tr> </table> <p>Test whether the die is biased or not.</p>	<i>Number appeared on the die</i>	1	2	3	4	5	6	<i>Frequency</i>	40	32	29	59	57	59	10	CO3																			
<i>Number appeared on the die</i>	1	2	3	4	5	6																														
<i>Frequency</i>	40	32	29	59	57	59																														
14	<p>Construct index number of the price from the following data by applying</p> <ul style="list-style-type: none"> • Laspeyres method, • Paasche method, • Dorbish & Bowley's method • Fisher's ideal method. <table border="1"> <tr> <td rowspan="2">Commodity</td> <td colspan="2">2007</td> <td colspan="2">2008</td> </tr> <tr> <td>Price</td> <td>Quantity</td> <td>Price</td> <td>Quantity</td> </tr> <tr> <td>A</td> <td>2</td> <td>8</td> <td>4</td> <td>6</td> </tr> <tr> <td>B</td> <td>5</td> <td>10</td> <td>6</td> <td>5</td> </tr> <tr> <td>C</td> <td>4</td> <td>14</td> <td>5</td> <td>10</td> </tr> <tr> <td>D</td> <td>2</td> <td>19</td> <td>2</td> <td>13</td> </tr> </table>	Commodity	2007		2008		Price	Quantity	Price	Quantity	A	2	8	4	6	B	5	10	6	5	C	4	14	5	10	D	2	19	2	13	10	CO4				
Commodity	2007		2008																																	
	Price	Quantity	Price	Quantity																																
A	2	8	4	6																																
B	5	10	6	5																																
C	4	14	5	10																																
D	2	19	2	13																																
15	<p>In a Bolt factory, machines A,B and C manufacture respectively 25%, 35% and 40%. Of the total output 5,4 and 2 percent are defective bolts. A Bolt is drawn at random from the product and is found to be defective. What is the probability that it was manufactured by machine B?</p>	10	CO2																																	

Standard Values:

Tabulated value of Chi-square at 5% level of significance and on 5th degree of freedom is 11.09

The tabulated value of Z at 5% level of significance for the right tailed test is 1.645

Name:								
Enrolment No:								
UNIVERSITY OF PETROLEUM AND ENERGY STUDIES End Semester Examination, May, 2019								
Course: Business Mathematics (CLNL1016)			Semester: II					
Programme: BBA LLB, BCom (LLB) all branches								
Time: 03 hrs.			Max. Marks: 100					
Instructions: Calculators allowed.								
SECTION A								
Q	All questions are compulsory and each carry equal marks				Marks	CO		
1	Find the mode for the following ungrouped data 6, 5, 5, 7, 4, 8, 3, 4, 4.				2	CO1		
2	Explain level of significance in short.				2	CO3		
3	Define Independent and dependent events with example				2	CO2		
4	Find the coefficient of rank for the data: 4 8 1 6 6 2 9 3 6 9.				2	CO1		
5	Explain null and alternative hypothesis.				2	CO3		
SECTION B								
Q	All questions are compulsory and each carry equal marks				Marks	CO		
6	In a Bolt factory, machines A,B and C manufacture respectively 25%, 35% and 40%. Of the total output 5,4 and 2 percent are defective bolts. A Bolt is drawn at random from the product and is found to be defective. What is the probability that it was manufactured by machine B?				10	CO2		
7	Before an increase in excise duty on tea, 800 people out of a sample of 1000 persons were found to be tea drinkers. After an increase in the duty, 800 persons were known to be tea drinkers in a sample of 1200 people. Do you think that there has been a significant decrease in the consumption of tea after the increase in the excise duty?				10	CO3		
SECTION-C								
Q	All questions are compulsory and each carry equal marks				Marks	CO		
8	After investigation it has been found the demand for automobiles in a city depends mainly, if not entirely, upon the number of family residing in that city. Below are given figures of sales of automobiles in the five cities for the year 2003 and the number of families residing in those cities. Estimated sales for the year 2004, for city A, if number of family increased to 100, then the sales of automobiles.				10	CO1		
City		A	B	C			D	E
No. of families (in Lakh (X))		70	65	80			60	90
Sales of Automobiles (in 000's (Y))		25.2	28.6	30.2	22.3	35.4		
9	A machine is producing bolts a certain fraction of which are defective. A random sample of 400 is taken from a large batch and is found to contain 30 defective bolts. Does this indicate that the proportion of defectives is larger than that claimed by the manufacturer if the manufacturer claims that only 5% of his product are defective?				10	CO3		

SECTION-D

Q	Attempt any five questions	Marks	CO																																	
10	<p>Find the correlation coefficient between the sales and expenses from the following:</p> <table border="1"> <thead> <tr> <th>Firm</th> <th>1</th> <th>2</th> <th>3</th> <th>4</th> <th>5</th> <th>6</th> <th>7</th> <th>8</th> <th>9</th> <th>10</th> </tr> </thead> <tbody> <tr> <td>Sales</td> <td>50</td> <td>50</td> <td>55</td> <td>60</td> <td>65</td> <td>65</td> <td>65</td> <td>60</td> <td>60</td> <td>50</td> </tr> <tr> <td>Expenses</td> <td>11</td> <td>13</td> <td>14</td> <td>16</td> <td>16</td> <td>15</td> <td>15</td> <td>14</td> <td>13</td> <td>13</td> </tr> </tbody> </table>	Firm	1	2	3	4	5	6	7	8	9	10	Sales	50	50	55	60	65	65	65	60	60	50	Expenses	11	13	14	16	16	15	15	14	13	13	10	CO1
Firm	1	2	3	4	5	6	7	8	9	10																										
Sales	50	50	55	60	65	65	65	60	60	50																										
Expenses	11	13	14	16	16	15	15	14	13	13																										
11	<p>A die is thrown 276 times and the results of these throws are given below:</p> <table border="1"> <thead> <tr> <th>Number appeared on the die</th> <th>1</th> <th>2</th> <th>3</th> <th>4</th> <th>5</th> <th>6</th> </tr> </thead> <tbody> <tr> <td>Frequency</td> <td>40</td> <td>32</td> <td>29</td> <td>59</td> <td>57</td> <td>59</td> </tr> </tbody> </table> <p>Test whether the die is biased or not.</p>	Number appeared on the die	1	2	3	4	5	6	Frequency	40	32	29	59	57	59	10	CO3																			
Number appeared on the die	1	2	3	4	5	6																														
Frequency	40	32	29	59	57	59																														
12	<p>Calculate the mean, median, mode, quartiles and interquartile range:</p> <table border="1"> <thead> <tr> <th>Marks more than</th> <th>0</th> <th>20</th> <th>40</th> <th>60</th> <th>80</th> <th>100</th> <th>120</th> </tr> </thead> <tbody> <tr> <td>No. of students</td> <td>80</td> <td>76</td> <td>50</td> <td>28</td> <td>18</td> <td>9</td> <td>3</td> </tr> </tbody> </table>	Marks more than	0	20	40	60	80	100	120	No. of students	80	76	50	28	18	9	3	10	CO1																	
Marks more than	0	20	40	60	80	100	120																													
No. of students	80	76	50	28	18	9	3																													
13	<p>The following table gives the number of accidents that took place in an industry during various days of the week. Test if accidents are uniformly distributed over the week.</p> <table border="1"> <thead> <tr> <th>Day</th> <th>Mon</th> <th>Tue</th> <th>Wed</th> <th>Thu</th> <th>Fri</th> <th>Sat</th> </tr> </thead> <tbody> <tr> <td>Number of accidents</td> <td>14</td> <td>18</td> <td>12</td> <td>11</td> <td>15</td> <td>14</td> </tr> </tbody> </table>	Day	Mon	Tue	Wed	Thu	Fri	Sat	Number of accidents	14	18	12	11	15	14	10	CO3																			
Day	Mon	Tue	Wed	Thu	Fri	Sat																														
Number of accidents	14	18	12	11	15	14																														
14	<p>A candidate is selected for interview of management trainees for 3 companies. For the first company there are 12 candidates, for the second company there are 15 candidates and for the third company there are 10 candidates. What are the chances of getting job in at least one of the company?</p>	10	CO4																																	
15	<table border="1"> <thead> <tr> <th rowspan="2">Commodity</th> <th colspan="2">2007</th> <th colspan="2">2008</th> </tr> <tr> <th>Price</th> <th>Quantity</th> <th>Price</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Gold</td> <td>2</td> <td>8</td> <td>4</td> <td>6</td> </tr> <tr> <td>Silver</td> <td>5</td> <td>10</td> <td>6</td> <td>5</td> </tr> <tr> <td>Copper</td> <td>4</td> <td>14</td> <td>5</td> <td>10</td> </tr> <tr> <td>Alluminium</td> <td>2</td> <td>19</td> <td>2</td> <td>13</td> </tr> </tbody> </table>	Commodity	2007		2008		Price	Quantity	Price	Quantity	Gold	2	8	4	6	Silver	5	10	6	5	Copper	4	14	5	10	Alluminium	2	19	2	13	<p>Construct index number of the price from the following data by applying</p> <ul style="list-style-type: none"> Laspeyres method, Paasche method, Dorbish & Bowley's method <p>Fisher's ideal method.</p>	10	CO2			
Commodity	2007		2008																																	
	Price	Quantity	Price	Quantity																																
Gold	2	8	4	6																																
Silver	5	10	6	5																																
Copper	4	14	5	10																																
Alluminium	2	19	2	13																																

Standard Values:

The tabulated value of Z at 5% level of significance for the right tailed test is 1.645

Tabulated value of Chi-square at 5% level of significance and on 5th degree of freedom is 11.09