


Name: Enrolment No:	 UPES <small>UNIVERSITY WITH A PURPOSE</small>
UNIVERSITY OF PETROLEUM AND ENERGY STUDIES End Semester Examination, July 2020	
Course: Enterprise Java Program: B.Tech. CSE-IFM+MT Course Code: CSEG3016	Semester: VI Time 02 hrs. Max. Marks: 120
Instructions: Attempt all questions.	



Ved Prakash Bhardwaj 83 ▾

My Institution

Courses

Community

H Tests, Surveys and Pools Tests **Test Canvas : End Term Exam-Enterprise Java**

Edit Mode is: ON ?

This Test has 46 attempts. For information on editing questions, click **More Help** below. X

Test Canvas: End Term Exam-Enterprise Java

The Test Canvas lets you add, edit and reorder questions, as well as review a test. [More Help](#)

Question Settings

You can edit, delete or change the point values of test questions on this page. If necessary, test attempts will be regraded after you submit your changes.

Description	Please attempt all questions.
Instructions	
Total Questions	60
Total Points	120
Number of Attempts	46

Select: All None Select by Type: - Question Type - ▾

Delete and Regrade
Points
Update and Regrade
Hide Question Details

1. Multiple Choice: "In servlet, Which method is used to ...

Points: 2

Question	"In servlet, Which method is used to extract values from HTML page"
Answer	<p>response.getParameter()</p> <hr/> <p><input checked="" type="checkbox"/> request.getParameter()</p> <hr/> <p>request.getparameter()</p> <hr/> <p>response.getparameter()</p>

2. Multiple Choice: Which is not implicit object in JSP?

Points: 2

Question	Which is not implicit object in JSP?
Answer	request
	response
	<input checked="" type="checkbox"/> error
	exception

3. Multiple Choice: "When new CGI is created, it will cre..."

Points: 2

Question	"When new CGI is created, it will create new "
Answer	stack
	queue
	thread
	<input checked="" type="checkbox"/> process

4. Multiple Choice: "When new servlet is created, it will..."

Points: 2

Question	"When new servlet is created, it will create new"
Answer	stack
	<input checked="" type="checkbox"/> thread
	process
	queue

5. Multiple Choice: Which package has HttpServlet class

Points: 2

Question	Which package has HttpServlet class
Answer	<input checked="" type="checkbox"/> javax.servlet.http
	java.io
	javax.io

javax.HttpServlet

6. Multiple Choice: "In which type of request, large amou..."

Points: 2

Question	"In which type of request, large amount of data can be sent?"
Answer	<input type="checkbox"/> get
	<input type="checkbox"/> page
	<input type="checkbox"/> taglib
	<input checked="" type="checkbox"/> post

7. Multiple Choice: Which is correct syntax for adding co...

Points: 2

Question	Which is correct syntax for adding cookies?
Answer	<input type="checkbox"/> request.setCookie()
	<input type="checkbox"/> request.addCookie()
	<input checked="" type="checkbox"/> response.addCookie()
	<input type="checkbox"/> response.setCookie()

8. Multiple Choice: Which of the following is used many t...

Points: 2

Question	Which of the following is used many times (greater than 1) in Servlet life cycle?
Answer	<input type="checkbox"/> init
	<input checked="" type="checkbox"/> service
	<input type="checkbox"/> destroy
	<input type="checkbox"/> start

9. Multiple Choice: Which of the following code is used t...

Points: 2

Question	Which of the following code is used to get an attribute in a HTTP Session object in servlets?
Answer	<input checked="" type="checkbox"/> session.getAttribute(String name) <hr/> <input type="checkbox"/> session.alterAttribute(String name) <hr/> <input type="checkbox"/> session.updateAttribute(String name) <hr/> <input type="checkbox"/> session.setAttribute(String name)

10. Multiple Choice: Which method is used for invoking doG...

Points: 2

Question	Which method is used for invoking doGet() and doPost() method
Answer	<input type="checkbox"/> init <hr/> <input type="checkbox"/> session <hr/> <input checked="" type="checkbox"/> service <hr/> <input type="checkbox"/> scope

11. Multiple Choice: "If method name is not used in 'form ...

Points: 2

Question	"If method name is not used in 'form action' in HTML, by default it will work as"
Answer	<input checked="" type="checkbox"/> get <hr/> <input type="checkbox"/> post <hr/> <input type="checkbox"/> error <hr/> <input type="checkbox"/> Converts Machine language to human language

12. Multiple Choice: Which of the following is not session...

Points: 2

Question	Which of the following is not session tracking technique
Answer	<input type="checkbox"/> Cookies <hr/> <input type="checkbox"/> HttpSession <hr/> <input checked="" type="checkbox"/> init

Hidden Form Field

13. Multiple Choice: Web.XML is located in

Points: 2

Question	Web.XML is located in
Answer	lib
	META-INF
	src
	<input checked="" type="checkbox"/> WEB-INF

14. Multiple Choice: What is correct syntax for doGet() me...

Points: 2

Question	What is correct syntax for doGet() method
Answer	"protected void doGet(HttpServletRequest req, HttpServletResponse res) throws ServletException, IOException"
	<input checked="" type="checkbox"/> "protected void doGet(HttpServletRequestRequest req, HttpServletResponse res) throws ServletException, IOException"
	"protected int doGet(HttpServletRequest req, HttpServletResponse res) throws ServletException, IOException"
	"protected void doGet(Http req, Http res) throws ServletException, IOException"

15. Multiple Choice: Which method retrieves cookies in ser...

Points: 2

Question	Which method retrieves cookies in servlets
Answer	response.getCookies()
	<input checked="" type="checkbox"/> request.getCookies()
	request.setCookies()
	response.setCookie()

16. Multiple Choice: JSP page is translated into

Points: 2

Question	JSP page is translated into
----------	-----------------------------

Answer	cookies
	<input checked="" type="checkbox"/> servlet
	stack
	queue

17. Multiple Choice: `jsp:useBean` is example of

Points: 2

Question	<code>jsp:useBean</code> is example of
Answer	directives
	declaration
	<input checked="" type="checkbox"/> action
	import

18. Multiple Choice: `"`, in this code `"abc"` is

Points: 2

Question	<code>"</code> in this code <code>"abc"</code> is
Answer	<input checked="" type="checkbox"/> instance of class
	method
	package
	interface

19. Multiple Choice: Where servlets are saved in Dynamic W...

Points: 2

Question	Where servlets are saved in Dynamic Web project
Answer	Web-INF
	<input checked="" type="checkbox"/> Java Resources
	Meta-INF
	Web-INF/lib

20. Multiple Choice: How to use PrintWriter object

Points: 2

Question	How to use PrintWriter object
Answer	<input type="checkbox"/> response.getWriter()
	<input type="checkbox"/> request.getWriter()
	<input checked="" type="checkbox"/> response.getWriter()
	<input type="checkbox"/> request.setWriter()

21. Multiple Choice: Symbol used for JSP Page directive is

Points: 2

Question	Symbol used for JSP Page directive is
Answer	<input checked="" type="checkbox"/> <% @ %>
	<input type="checkbox"/> <% ! %>
	<input type="checkbox"/> <% %>
	<input type="checkbox"/> <%= %>

22. Multiple Choice: Symbol used for JSP Expression tag is

Points: 2

Question	Symbol used for JSP Expression tag is
Answer	<input type="checkbox"/> <% @ %>
	<input type="checkbox"/> <% ! %>
	<input checked="" type="checkbox"/> <%= %>
	<input type="checkbox"/> <% %>

23. Multiple Choice: Which of the following is not attribu...

Points: 2

Question	Which of the following is not attribute of JSP Page directive
Answer	import

language

include

session

24. Multiple Choice: "In JSP, which of the following is true"

Points: 2

Question

"In JSP, which of the following is true"

Answer

Java code and HTML pages are different

Java code is inserted in HTML Page

HTML tags can be used only

Java code can be used only

25. Multiple Choice: JSP is slower than Servlet because

Points: 2

Question

JSP is slower than Servlet because

Answer

"In JSP, there is need of service() method"

servlets do not require service() method

get and post request is not used in JSP

"In JSP, page is to be translated into servlet"

26. Multiple Choice: Scriptlets tags are used in JSP using

Points: 2

Question

Scriptlets tags are used in JSP using

Answer

<%= %>

<% %>

<%! %>

none of these

27. Multiple Choice: `jsp:include` action tag can not includ...

Points: 2

Question	<code>jsp:include</code> action tag can not include resources from
Answer	<input type="checkbox"/> servlet
	<input checked="" type="checkbox"/> Web.XML
	<input type="checkbox"/> HTML
	<input type="checkbox"/> jsp

28. Multiple Choice: The main difference in JSP Include di...

Points: 2

Question	The main difference in JSP Include directive and JSP Include action is
Answer	<input type="checkbox"/> JSP include directive includes resources at request time and JSP include action includes resources at translation time
	<input type="checkbox"/> JSP include directive includes resources at response time and JSP include action includes resources at translation time
	<input type="checkbox"/> JSP include directive includes resources at request time and JSP include action includes resources at response time
	<input checked="" type="checkbox"/> JSP include directive includes resources at translation time and JSP include action includes resources at request time

29. Multiple Choice: "Output of (HTML tags are already ad..."

Points: 2

Question	"Output of <code><%= ""Welcome"" %></code> (HTML tags are already added)"
Answer	<input type="checkbox"/> No Output
	<input checked="" type="checkbox"/> Welcome will be displayed as output
	<input type="checkbox"/> Error
	<input type="checkbox"/> Exception

30. Multiple Choice: Output of (HTML tags are already added)

Points: 2

Question	Output of <code><% a=10; %></code> (HTML tags are already added)
Answer	<input type="checkbox"/> 10 assigned to variable 'a'

Error

Exception

none of these

31. Multiple Choice: Transactions and update in Accounts i...

Points: 2

Question Transactions and update in Accounts is example of

Answer stateless session bean

stateful session bean

temporary entity bean

temporary message driven bean

32. Multiple Choice: Which method is used for finding JNDI...

Points: 2

Question Which method is used for finding JNDI object

Answer lookup()

find()

look()

session.setAttribute(String name)

33. Multiple Choice: ""@Id"" annotation in Entity Bean is...

Points: 2

Question ""@Id"" annotation in Entity Bean is used for "

Answer method

interface

primary key variabe

class

34. Multiple Choice: JMS full form is

Points: 2

Question	JMS full form is
Answer	Java Message System
	Java Message Session
	Java Message State
	<input checked="" type="checkbox"/> Java Message Service

35. Multiple Choice: createSender() method is available in

Points: 2

Question	createSender() method is available in
Answer	Queue
	<input checked="" type="checkbox"/> QueueSession
	QueueConnectionFactory
	QueueConnection

36. Multiple Choice: Annotation used for Message Driven Be...

Points: 2

Question	Annotation used for Message Driven Bean is
Answer	<input checked="" type="checkbox"/> MessageDriven
	Message
	MessageDrivenBean
	MessageBean

37. Multiple Choice: Queue is used in which service?

Points: 2

Question	Queue is used in which service?
Answer	publish
	display

point to point

exception

38. Multiple Choice: Topic is used in which service?

Points: 2

Question Topic is used in which service?

Answer

display

point to point

Hybrid

publish

39. Multiple Choice: Which of the following packages stores...

Points: 2

Question Which of the following packages stores Classes and Interfaces for EJB

Answer

java.ejb.*

java.jms.*

javax.jms.*

javax.ejb.*

40. Multiple Choice: Mailing list sends messages to many c...

Points: 2

Question Mailing list sends messages to many clients' is example of

Answer

Queue

Topic

stack

tree

41. Multiple Choice: Client send message to specific clien...

Points: 2

Question	Client send message to specific client within same enterprise' is example of
Answer	<input type="checkbox"/> Topic
	<input checked="" type="checkbox"/> Queue
	<input type="checkbox"/> stack
	<input type="checkbox"/> tree

42. Multiple Choice: "In JMS API, Sender is "

Points: 2

Question	"In JMS API, Sender is "
Answer	<input type="checkbox"/> Consumer
	<input checked="" type="checkbox"/> Producer
	<input type="checkbox"/> session
	<input type="checkbox"/> message

43. Multiple Choice: Which of the following is not JMS pro...

Points: 2

Question	Which of the following is not JMS provider?
Answer	<input type="checkbox"/> IBM MQ
	<input type="checkbox"/> JBoss MQ
	<input type="checkbox"/> WebSphere MQ
	<input checked="" type="checkbox"/> Java MQ

44. Multiple Choice: Addition of two numbers is example of

Points: 2

Question	Addition of two numbers is example of
Answer	<input checked="" type="checkbox"/> stateless
	<input type="checkbox"/> statedriven

stateful

statein

45. Multiple Choice: EJB full form is

Points: 2

Question	EJB full form is
Answer	<input type="checkbox"/> Entity Java Beans
	<input checked="" type="checkbox"/> Enterprise Java Beans
	<input type="checkbox"/> Entity JMS beans
	<input type="checkbox"/> Enterprise JMS Beans

46. Multiple Choice: Which method is used to save Entities...

Points: 2

Question	Which method is used to save Entities in database?
Answer	<input checked="" type="checkbox"/> persist()
	<input type="checkbox"/> save()
	<input type="checkbox"/> store()
	<input type="checkbox"/> saves()

47. Multiple Choice: is-a mapping is used for

Points: 2

Question	is-a mapping is used for
Answer	<input type="checkbox"/> Aggregation
	<input type="checkbox"/> Association
	<input checked="" type="checkbox"/> Inheritance
	<input type="checkbox"/> Polymorphism

Points: 2

48. Multiple Choice: has-a mapping is used for

Question	has-a mapping is used for
Answer	<input type="checkbox"/> Inheritance
	<input type="checkbox"/> Polymorphism
	<input checked="" type="checkbox"/> Aggregation
	<input type="checkbox"/> overloading

49. Multiple Choice: Employee has address object is exampl...

Points: 2

Question	Employee has address object is example of
Answer	<input type="checkbox"/> is-a mapping
	<input checked="" type="checkbox"/> has-a mapping
	<input type="checkbox"/> not mapping
	<input type="checkbox"/> or mapping

50. Multiple Choice: Department has many employees and man...

Points: 2

Question	Department has many employees and many employees belong to one department is example of
Answer	<input type="checkbox"/> uni-directional mapping
	<input type="checkbox"/> tri-directional mapping
	<input type="checkbox"/> four-directional mapping
	<input checked="" type="checkbox"/> bi-directional mapping

51. Multiple Choice: Which XML file is required for Databa...

Points: 2

Question	Which XML file is required for Database driver details configuration
Answer	<input type="checkbox"/> persist.XML
	<input checked="" type="checkbox"/> persistence.XML

db.XML

dbms.XML

52. Multiple Choice: Which port number is used for Oracle ...

Points: 2

Question Which port number is used for Oracle database connectivity

Answer 1550

1521

1990

tree

53. Multiple Choice: JPA is used for

Points: 2

Question JPA is used for

Answer Relational-Relational mapping

Object-Relational Mapping

Object-Object Mapping

none of these

54. Multiple Choice: The advantage of using JPA is

Points: 2

Question The advantage of using JPA is

Answer There is no advantage

There is no need to use database

There is no need to provide connection string

There is no need to know database structure

Points: 2

55. Multiple Choice: "By default, what is the name of tabl..."

Question	"By default, what is the name of table in database using JPA entities"
Answer	<input checked="" type="checkbox"/> entity name
	annotation name
	Id
	super

56. Multiple Choice: Employee' is example of

Points: 2

Question	Employee' is example of
Answer	Session Bean
	Message Driven Bean
	Hybrid Bean
	<input checked="" type="checkbox"/> Entity Bean

57. Multiple Choice: Which of following is used for foreign...

Points: 2

Question	Which of following is used for foreign key in JPA
Answer	@ primarykey'
	@Foreign '
	@ForeignKey'
	<input checked="" type="checkbox"/> @JoinColumn'

58. Multiple Choice: Which annotation is required for Enti...

Points: 2

Question	Which annotation is required for Entity class?
Answer	<input checked="" type="checkbox"/> @Entity'
	@Class'

@Primary'

@Super'

59. Multiple Choice: JPA is used for

Points: 2

Question	JPA is used for
Answer	<input checked="" type="checkbox"/> storing java object in relational database
	<input type="checkbox"/> storing methods
	<input type="checkbox"/> storing interfaces
	<input type="checkbox"/> Inheritance

60. Multiple Choice: persist() method works same as

Points: 2

Question	persist() method works same as
Answer	<input checked="" type="checkbox"/> insert query
	<input type="checkbox"/> delete query
	<input type="checkbox"/> drop query
	<input type="checkbox"/> none of these

Select: All None Select by Type: - Question Type - v

Delete and Regrade

Points

Update and Regrade

Hide Question Details

← CK